

New Bedford, Mass.

Datum = NGVD

Predicted Hourly Heights

January, 2004

NOAA, National Ocean Service

Standard Time

Day	Hours 0/12	Hours 1/13	Hours 2/14	Hours 3/15	Hours 4/16	Hours 5/17	Hours 6/18	Hours 7/19	Hours 8/20	Hours 9/21	Hours 10/22	Hours 11/23
1 Th	0.2	1.0	1.7	1.9	1.5	0.9	0.2	-0.3	-0.5	-0.6	-0.7	-0.6
	-0.2	0.4	1.1	1.4	1.3	0.7	0.0	-0.5	-0.8	-0.8	-0.8	-0.6
2 F	-0.3	0.4	1.2	1.8	1.9	1.5	0.8	0.1	-0.3	-0.5	-0.7	-0.7
	-0.6	-0.2	0.5	1.1	1.4	1.1	0.5	-0.2	-0.6	-0.8	-0.9	-0.8
3 Sa	-0.6	-0.1	0.6	1.4	1.9	2.0	1.4	0.7	0.0	-0.4	-0.6	-0.7
	-0.8	-0.6	-0.1	0.6	1.2	1.4	1.1	0.4	-0.3	-0.8	-1.0	-0.9
4 Su	-0.8	-0.5	0.1	0.9	1.7	2.1	2.0	1.4	0.5	-0.2	-0.6	-0.8
	-0.9	-0.8	-0.5	0.1	0.8	1.4	1.5	1.0	0.2	-0.5	-1.0	-1.1
5 M	-1.0	-0.8	-0.4	0.3	1.2	2.0	2.3	2.0	1.2	0.3	-0.4	-0.8
	-1.0	-1.0	-0.8	-0.3	0.3	1.1	1.5	1.5	0.8	0.0	-0.8	-1.2
6 Tu	-1.2	-1.0	-0.7	-0.2	0.6	1.5	2.2	2.4	1.9	1.0	0.0	-0.7
	-1.0	-1.1	-1.0	-0.7	-0.1	0.6	1.3	1.7	1.4	0.7	-0.3	-1.0
7 W	-1.3	-1.3	-1.0	-0.5	0.1	0.9	1.8	2.4	2.4	1.7	0.7	-0.3
	-1.0	-1.2	-1.2	-0.9	-0.5	0.1	0.9	1.5	1.7	1.3	0.4	-0.6
8 Th	-1.2	-1.4	-1.3	-0.9	-0.3	0.4	1.2	2.0	2.5	2.2	1.4	0.3
	-0.7	-1.2	-1.3	-1.1	-0.8	-0.3	0.4	1.2	1.7	1.7	1.1	0.1
9 F	-0.8	-1.4	-1.5	-1.2	-0.7	-0.1	0.7	1.5	2.2	2.4	2.0	1.0
	-0.1	-1.0	-1.4	-1.3	-1.0	-0.6	0.0	0.7	1.4	1.8	1.6	0.9
10 Sa	-0.2	-1.1	-1.5	-1.4	-1.0	-0.5	0.2	0.9	1.7	2.2	2.3	1.7
	0.6	-0.5	-1.2	-1.4	-1.3	-0.8	-0.3	0.3	1.0	1.6	1.8	1.5
11 Su	0.6	-0.4	-1.2	-1.5	-1.3	-0.8	-0.2	0.4	1.1	1.8	2.2	2.0
	1.3	0.2	-0.8	-1.4	-1.4	-1.1	-0.6	-0.1	0.5	1.2	1.7	1.8
12 M	1.3	0.4	-0.6	-1.3	-1.5	-1.2	-0.7	-0.1	0.5	1.2	1.7	2.0
	1.8	1.0	-0.1	-1.0	-1.5	-1.4	-1.0	-0.4	0.1	0.7	1.4	1.8
13 Tu	1.8	1.2	0.3	-0.7	-1.3	-1.4	-1.0	-0.5	0.0	0.6	1.2	1.7
	1.9	1.5	0.7	-0.4	-1.2	-1.5	-1.3	-0.8	-0.3	0.3	0.9	1.5
14 W	1.9	1.8	1.2	0.2	-0.7	-1.2	-1.3	-0.9	-0.5	0.0	0.5	1.1
	1.6	1.7	1.3	0.5	-0.5	-1.3	-1.5	-1.3	-0.8	-0.2	0.3	1.0
15 Th	1.6	2.0	1.9	1.3	0.3	-0.6	-1.1	-1.2	-0.9	-0.5	-0.1	0.4
	1.0	1.5	1.6	1.2	0.3	-0.6	-1.3	-1.5	-1.3	-0.8	-0.3	0.3
16 F	1.0	1.7	2.2	2.1	1.4	0.4	-0.5	-1.1	-1.2	-1.0	-0.7	-0.3
	0.3	0.9	1.5	1.6	1.2	0.3	-0.6	-1.3	-1.5	-1.3	-0.9	-0.4
17 Sa	0.3	1.1	1.9	2.4	2.3	1.6	0.5	-0.4	-1.1	-1.3	-1.2	-0.9
	-0.5	0.1	0.9	1.6	1.7	1.3	0.4	-0.6	-1.3	-1.6	-1.5	-1.1
18 Su	-0.6	0.2	1.2	2.1	2.7	2.6	1.8	0.7	-0.4	-1.1	-1.4	-1.4
	-1.2	-0.7	0.1	1.0	1.7	1.9	1.4	0.4	-0.6	-1.4	-1.8	-1.7
19 M	-1.4	-0.8	0.2	1.3	2.3	2.9	2.8	1.9	0.7	-0.5	-1.3	-1.6
	-1.7	-1.4	-0.8	0.1	1.2	2.0	2.1	1.6	0.5	-0.7	-1.5	-1.9
20 Tu	-1.9	-1.6	-0.9	0.2	1.5	2.6	3.2	2.9	2.0	0.6	-0.6	-1.4
	-1.9	-1.9	-1.5	-0.8	0.3	1.4	2.2	2.3	1.7	0.5	-0.8	-1.7
21 W	-2.1	-2.1	-1.7	-0.9	0.3	1.6	2.8	3.3	2.9	1.8	0.4	-0.8
	-1.6	-2.0	-2.0	-1.6	-0.7	0.5	1.7	2.5	2.5	1.6	0.4	-0.9
22 Th	-1.8	-2.2	-2.2	-1.7	-0.8	0.4	1.8	2.9	3.3	2.8	1.6	0.2
	-1.0	-1.8	-2.1	-2.0	-1.4	-0.5	0.8	2.0	2.6	2.5	1.5	0.2
23 F	-1.1	-1.9	-2.2	-2.1	-1.6	-0.6	0.6	2.0	3.0	3.2	2.5	1.2
	-0.2	-1.3	-1.9	-2.1	-1.8	-1.2	-0.2	1.1	2.2	2.7	2.3	1.3
24 Sa	0.0	-1.2	-1.9	-2.1	-1.9	-1.3	-0.4	0.8	2.0	2.8	2.9	2.1
	0.8	-0.5	-1.4	-1.9	-1.9	-1.6	-0.9	0.1	1.3	2.2	2.6	2.1
25 Su	1.0	-0.2	-1.2	-1.8	-1.9	-1.6	-1.1	-0.2	0.9	2.0	2.6	2.4
	1.6	0.4	-0.7	-1.4	-1.7	-1.6	-1.2	-0.6	0.4	1.4	2.2	2.3
26 M	1.8	0.7	-0.4	-1.2	-1.6	-1.5	-1.3	-0.7	0.0	1.0	1.9	2.2
	2.0	1.1	0.0	-0.9	-1.4	-1.5	-1.3	-0.9	-0.3	0.6	1.5	2.1
27 Tu	2.1	1.4	0.5	-0.5	-1.1	-1.3	-1.2	-0.9	-0.5	0.2	1.0	1.6
	1.9	1.5	0.6	-0.3	-1.0	-1.2	-1.2	-0.9	-0.6	0.0	0.7	1.4
28 W	1.9	1.8	1.2	0.3	-0.5	-0.9	-1.0	-0.8	-0.6	-0.3	0.2	0.9
	1.4	1.5	1.1	0.3	-0.5	-0.9	-1.0	-0.9	-0.7	-0.4	0.1	0.7
29 Th	1.4	1.7	1.6	0.9	0.2	-0.4	-0.7	-0.7	-0.6	-0.5	-0.2	0.2
	0.7	1.2	1.2	0.8	0.1	-0.5	-0.9	-0.9	-0.7	-0.5	-0.3	0.1
30 F	0.7	1.3	1.6	1.4	0.8	0.1	-0.3	-0.5	-0.5	-0.5	-0.4	-0.2
	0.1	0.7	1.0	1.0	0.6	0.0	-0.6	-0.8	-0.7	-0.6	-0.4	-0.2
31 Sa	0.2	0.7	1.3	1.6	1.4	0.8	0.1	-0.3	-0.4	-0.5	-0.5	-0.5
	-0.3	0.1	0.6	1.0	1.0	0.5	-0.1	-0.6	-0.8	-0.7	-0.6	-0.5

New Bedford, Mass.

Datum = NGVD

Predicted Hourly Heights

February, 2004

NOAA, National Ocean Service

Standard Time

Day	Hours 0/12	Hours 1/13	Hours 2/14	Hours 3/15	Hours 4/16	Hours 5/17	Hours 6/18	Hours 7/19	Hours 8/20	Hours 9/21	Hours 10/22	Hours 11/23
1 Su	-0.3	0.2	0.8	1.4	1.6	1.4	0.8	0.1	-0.3	-0.5	-0.5	-0.6
	-0.6	-0.3	0.1	0.7	1.1	1.0	0.5	-0.1	-0.6	-0.8	-0.8	-0.7
2 M	-0.6	-0.3	0.3	1.0	1.6	1.8	1.4	0.8	0.1	-0.4	-0.6	-0.7
	-0.8	-0.7	-0.3	0.3	0.9	1.3	1.1	0.5	-0.2	-0.7	-0.9	-1.0
3 Tu	-0.8	-0.6	-0.2	0.5	1.3	1.9	2.0	1.5	0.7	-0.1	-0.6	-0.9
	-0.9	-0.9	-0.7	-0.2	0.5	1.2	1.5	1.2	0.5	-0.3	-0.9	-1.2
4 W	-1.1	-1.0	-0.6	0.0	0.8	1.6	2.2	2.1	1.4	0.5	-0.4	-0.9
	-1.1	-1.1	-1.0	-0.6	0.1	0.9	1.5	1.7	1.2	0.3	-0.6	-1.2
5 Th	-1.4	-1.3	-1.0	-0.5	0.2	1.1	2.0	2.4	2.1	1.3	0.2	-0.7
	-1.2	-1.4	-1.3	-0.9	-0.4	0.4	1.3	1.8	1.8	1.1	0.1	-0.9
6 F	-1.5	-1.6	-1.4	-1.0	-0.3	0.5	1.5	2.3	2.5	2.0	1.0	-0.2
	-1.1	-1.5	-1.5	-1.2	-0.8	-0.1	0.8	1.7	2.1	1.8	0.9	-0.2
7 Sa	-1.2	-1.7	-1.7	-1.4	-0.8	-0.1	0.9	1.8	2.4	2.4	1.7	0.5
	-0.6	-1.4	-1.7	-1.5	-1.1	-0.5	0.3	1.2	2.0	2.2	1.7	0.7
8 Su	-0.6	-1.5	-1.9	-1.7	-1.3	-0.6	0.2	1.2	2.0	2.5	2.2	1.3
	0.1	-1.1	-1.7	-1.8	-1.4	-0.8	-0.1	0.7	1.6	2.2	2.2	1.5
9 M	0.3	-0.9	-1.7	-1.9	-1.6	-1.1	-0.3	0.5	1.4	2.1	2.3	1.9
	0.9	-0.4	-1.4	-1.8	-1.7	-1.2	-0.5	0.2	1.1	1.8	2.3	2.1
10 Tu	1.3	0.1	-1.1	-1.7	-1.8	-1.4	-0.8	-0.1	0.7	1.4	2.0	2.1
	1.5	0.5	-0.7	-1.6	-1.8	-1.6	-1.0	-0.3	0.5	1.3	2.0	2.3
11 W	2.0	1.1	-0.1	-1.2	-1.7	-1.6	-1.2	-0.6	0.0	0.7	1.4	1.8
	1.8	1.2	0.1	-1.0	-1.6	-1.7	-1.4	-0.7	-0.1	0.6	1.4	2.0
12 Th	2.2	1.8	0.9	-0.2	-1.1	-1.5	-1.4	-1.0	-0.5	0.1	0.7	1.3
	1.6	1.6	0.9	-0.1	-1.0	-1.6	-1.6	-1.2	-0.6	0.0	0.7	1.4
13 F	1.9	2.2	1.8	0.9	-0.1	-0.9	-1.3	-1.2	-0.9	-0.5	-0.1	0.5
	1.1	1.5	1.4	0.8	-0.1	-1.0	-1.4	-1.4	-1.1	-0.6	-0.1	0.6
14 Sa	1.3	1.9	2.2	1.8	1.0	0.0	-0.8	-1.1	-1.1	-0.9	-0.7	-0.3
	0.3	1.0	1.4	1.4	0.8	-0.1	-0.9	-1.3	-1.4	-1.1	-0.8	-0.3
15 Su	0.4	1.2	1.9	2.3	2.0	1.2	0.2	-0.6	-1.0	-1.1	-1.1	-0.9
	-0.5	0.2	0.9	1.5	1.5	1.0	0.1	-0.7	-1.3	-1.4	-1.3	-1.0
16 M	-0.5	0.2	1.2	2.0	2.4	2.2	1.4	0.3	-0.5	-1.0	-1.3	-1.3
	-1.1	-0.6	0.2	1.1	1.7	1.7	1.2	0.2	-0.7	-1.3	-1.6	-1.5
17 Tu	-1.3	-0.7	0.2	1.3	2.2	2.7	2.4	1.5	0.4	-0.6	-1.2	-1.5
	-1.6	-1.3	-0.7	0.3	1.3	2.0	2.0	1.3	0.3	-0.7	-1.4	-1.8
18 W	-1.8	-1.5	-0.9	0.2	1.5	2.5	2.9	2.5	1.5	0.3	-0.8	-1.4
	-1.8	-1.8	-1.4	-0.6	0.6	1.7	2.3	2.2	1.4	0.3	-0.9	-1.6
19 Th	-2.0	-2.0	-1.7	-0.8	0.4	1.7	2.7	3.0	2.4	1.3	0.0	-1.0
	-1.7	-2.0	-1.9	-1.3	-0.3	0.9	2.1	2.6	2.4	1.4	0.1	-1.1
20 F	-1.9	-2.2	-2.1	-1.6	-0.7	0.6	2.0	2.9	3.0	2.2	1.0	-0.3
	-1.3	-1.9	-2.1	-1.8	-1.1	0.0	1.3	2.4	2.8	2.3	1.2	-0.2
21 Sa	-1.3	-2.0	-2.2	-2.0	-1.4	-0.4	0.9	2.2	2.9	2.8	1.8	0.5
	-0.7	-1.6	-2.0	-2.0	-1.5	-0.7	0.5	1.7	2.6	2.8	2.1	0.8
22 Su	-0.5	-1.5	-2.0	-2.1	-1.8	-1.1	0.0	1.2	2.3	2.7	2.4	1.3
	0.0	-1.1	-1.7	-1.9	-1.7	-1.2	-0.3	0.9	2.0	2.6	2.5	1.7
23 M	0.4	-0.8	-1.6	-1.9	-1.8	-1.4	-0.7	0.3	1.4	2.2	2.4	1.9
	0.8	-0.4	-1.3	-1.7	-1.7	-1.3	-0.7	0.1	1.1	2.1	2.5	2.2
24 Tu	1.3	0.0	-1.0	-1.6	-1.7	-1.5	-1.0	-0.3	0.5	1.4	2.0	2.0
	1.3	0.3	-0.8	-1.4	-1.6	-1.3	-0.9	-0.3	0.4	1.3	2.0	2.2
25 W	1.8	0.8	-0.3	-1.0	-1.4	-1.3	-1.0	-0.6	0.0	0.7	1.3	1.7
	1.5	0.8	-0.1	-1.0	-1.3	-1.3	-0.9	-0.5	0.0	0.6	1.3	1.8
26 Th	1.9	1.4	0.5	-0.4	-1.0	-1.1	-0.9	-0.6	-0.3	0.1	0.7	1.2
	1.4	1.1	0.4	-0.4	-1.0	-1.1	-0.9	-0.6	-0.2	0.2	0.7	1.2
27 F	1.6	1.6	1.0	0.3	-0.4	-0.8	-0.8	-0.6	-0.4	-0.1	0.1	0.6
	1.0	1.1	0.8	0.2	-0.5	-0.9	-0.9	-0.6	-0.3	-0.1	0.2	0.6
28 Sa	1.1	1.4	1.3	0.9	0.2	-0.4	-0.6	-0.5	-0.4	-0.2	-0.1	0.1
	0.4	0.8	0.9	0.6	0.1	-0.5	-0.8	-0.7	-0.5	-0.2	-0.1	0.2
29 Su	0.5	1.0	1.3	1.3	0.8	0.2	-0.3	-0.5	-0.4	-0.3	-0.3	-0.2
	0.0	0.4	0.8	0.9	0.6	0.1	-0.4	-0.6	-0.6	-0.4	-0.3	-0.2

New Bedford, Mass.

Datum = NGVD

Predicted Hourly Heights

March, 2004

NOAA, National Ocean Service

Standard Time

Day	Hours 0/12	Hours 1/13	Hours 2/14	Hours 3/15	Hours 4/16	Hours 5/17	Hours 6/18	Hours 7/19	Hours 8/20	Hours 9/21	Hours 10/22	Hours 11/23
1 M	0.1	0.5	1.0	1.4	1.3	0.9	0.3	-0.2	-0.4	-0.4	-0.4	-0.4
	-0.4	-0.1	0.4	0.9	1.0	0.7	0.2	-0.3	-0.6	-0.7	-0.6	-0.5
2 Tu	-0.3	0.0	0.6	1.2	1.6	1.5	1.0	0.3	-0.3	-0.5	-0.6	-0.7
	-0.6	-0.5	0.0	0.6	1.1	1.3	0.9	0.2	-0.4	-0.8	-0.9	-0.8
3 W	-0.7	-0.5	0.0	0.8	1.5	1.8	1.7	1.0	0.2	-0.4	-0.8	-0.9
	-0.9	-0.8	-0.4	0.2	1.0	1.5	1.5	1.0	0.2	-0.6	-1.0	-1.2
4 Th	-1.1	-0.9	-0.5	0.2	1.1	1.8	2.1	1.8	0.9	0.0	-0.7	-1.1
	-1.2	-1.1	-0.8	-0.2	0.6	1.4	1.9	1.8	1.0	0.0	-0.9	-1.4
5 F	-1.5	-1.4	-1.0	-0.4	0.5	1.5	2.2	2.3	1.8	0.7	-0.4	-1.1
	-1.5	-1.5	-1.2	-0.7	0.1	1.1	1.9	2.2	1.9	0.9	-0.3	-1.2
6 Sa	-1.7	-1.8	-1.5	-0.9	-0.1	0.9	1.9	2.5	2.4	1.6	0.4	-0.8
	-1.5	-1.8	-1.6	-1.1	-0.4	0.6	1.6	2.3	2.5	1.8	0.7	-0.6
7 Su	-1.6	-2.0	-1.9	-1.5	-0.8	0.2	1.3	2.2	2.6	2.3	1.2	-0.1
	-1.2	-1.9	-1.9	-1.5	-0.9	0.0	1.0	2.0	2.6	2.5	1.7	0.3
8 M	-1.0	-1.9	-2.2	-1.9	-1.3	-0.5	0.5	1.6	2.4	2.6	2.0	0.8
	-0.6	-1.6	-2.1	-1.9	-1.4	-0.6	0.4	1.5	2.4	2.8	2.5	1.4
9 Tu	0.0	-1.3	-2.1	-2.2	-1.8	-1.1	-0.2	0.8	1.7	2.4	2.4	1.6
	0.3	-1.0	-1.8	-2.1	-1.7	-1.1	-0.2	0.8	1.8	2.5	2.8	2.3
10 W	1.1	-0.3	-1.5	-2.0	-2.0	-1.5	-0.8	0.0	0.9	1.7	2.2	2.0
	1.2	-0.1	-1.2	-1.9	-1.9	-1.5	-0.8	0.1	1.0	1.9	2.5	2.6
11 Th	2.0	0.8	-0.5	-1.5	-1.9	-1.7	-1.2	-0.6	0.1	0.9	1.6	2.0
	1.7	0.8	-0.3	-1.3	-1.8	-1.7	-1.2	-0.5	0.2	1.0	1.8	2.4
12 F	2.4	1.8	0.7	-0.5	-1.3	-1.6	-1.4	-1.0	-0.5	0.1	0.8	1.4
	1.7	1.4	0.6	-0.4	-1.2	-1.6	-1.4	-1.0	-0.4	0.2	0.9	1.7
13 Sa	2.2	2.2	1.7	0.7	-0.4	-1.1	-1.3	-1.2	-0.9	-0.5	0.0	0.6
	1.2	1.5	1.3	0.6	-0.3	-1.0	-1.3	-1.2	-0.9	-0.5	0.0	0.7
14 Su	1.5	2.0	2.1	1.6	0.8	-0.2	-0.8	-1.1	-1.1	-0.9	-0.7	-0.2
	0.4	1.1	1.5	1.3	0.7	-0.1	-0.8	-1.1	-1.1	-0.9	-0.7	-0.2
15 M	0.5	1.3	2.0	2.1	1.7	0.9	0.0	-0.6	-0.9	-1.1	-1.1	-0.9
	-0.4	0.3	1.1	1.6	1.5	0.9	0.1	-0.6	-1.0	-1.2	-1.2	-1.0
16 Tu	-0.5	0.3	1.3	2.0	2.3	1.9	1.1	0.2	-0.5	-1.0	-1.2	-1.3
	-1.1	-0.5	0.4	1.3	1.9	1.8	1.1	0.2	-0.6	-1.1	-1.4	-1.4
17 W	-1.3	-0.7	0.2	1.3	2.2	2.4	2.0	1.1	0.1	-0.7	-1.2	-1.5
	-1.5	-1.2	-0.4	0.7	1.7	2.2	2.0	1.3	0.3	-0.6	-1.3	-1.6
18 Th	-1.7	-1.5	-0.7	0.4	1.6	2.4	2.6	2.0	1.0	-0.1	-0.9	-1.4
	-1.7	-1.6	-1.1	-0.1	1.1	2.1	2.5	2.2	1.3	0.1	-0.9	-1.6
19 F	-1.9	-1.9	-1.5	-0.6	0.6	1.8	2.6	2.6	1.9	0.7	-0.4	-1.2
	-1.7	-1.8	-1.6	-0.9	0.3	1.5	2.5	2.8	2.2	1.1	-0.2	-1.2
20 Sa	-1.8	-2.1	-1.9	-1.4	-0.3	1.0	2.1	2.7	2.5	1.5	0.3	-0.8
	-1.5	-1.8	-1.8	-1.3	-0.5	0.8	2.0	2.8	2.8	2.0	0.7	-0.5
21 Su	-1.5	-2.0	-2.1	-1.8	-1.1	0.0	1.3	2.3	2.7	2.2	1.1	-0.2
	-1.2	-1.7	-1.9	-1.6	-1.0	0.0	1.2	2.3	2.9	2.6	1.6	0.3
22 M	-0.9	-1.7	-2.0	-1.9	-1.4	-0.6	0.5	1.6	2.4	2.4	1.7	0.5
	-0.6	-1.5	-1.8	-1.7	-1.2	-0.5	0.5	1.6	2.5	2.8	2.3	1.2
23 Tu	-0.1	-1.2	-1.7	-1.8	-1.6	-1.0	-0.2	0.8	1.7	2.2	2.0	1.2
	0.0	-1.0	-1.6	-1.6	-1.3	-0.8	0.0	0.9	1.8	2.5	2.5	1.8
24 W	0.6	-0.5	-1.3	-1.6	-1.5	-1.1	-0.6	0.2	1.0	1.7	2.0	1.6
	0.6	-0.4	-1.2	-1.5	-1.3	-0.9	-0.3	0.4	1.1	1.9	2.3	2.1
25 Th	1.3	0.2	-0.8	-1.3	-1.4	-1.1	-0.7	-0.2	0.4	1.0	1.5	1.6
	1.1	0.2	-0.7	-1.2	-1.3	-0.9	-0.5	0.0	0.6	1.2	1.7	2.0
26 F	1.7	0.9	-0.1	-0.8	-1.1	-1.0	-0.7	-0.3	0.0	0.5	1.0	1.3
	1.2	0.7	-0.1	-0.8	-1.1	-1.0	-0.6	-0.1	0.3	0.7	1.1	1.5
27 Sa	1.6	1.3	0.6	-0.2	-0.8	-0.9	-0.7	-0.4	-0.1	0.1	0.4	0.8
	1.1	0.9	0.5	-0.2	-0.7	-0.9	-0.7	-0.3	0.1	0.3	0.6	1.0
28 Su	1.3	1.4	1.1	0.4	-0.3	-0.6	-0.6	-0.4	-0.2	-0.1	0.1	0.3
	0.7	0.9	0.8	0.4	-0.2	-0.6	-0.7	-0.4	-0.1	0.1	0.3	0.5
29 M	0.9	1.2	1.3	1.0	0.4	-0.2	-0.5	-0.5	-0.3	-0.2	-0.1	0.0
	0.3	0.7	0.9	0.9	0.4	-0.1	-0.5	-0.5	-0.4	-0.2	0.0	0.1
30 Tu	0.4	0.8	1.2	1.3	1.0	0.4	-0.1	-0.4	-0.5	-0.4	-0.3	-0.3
	-0.1	0.3	0.8	1.1	1.0	0.6	0.0	-0.4	-0.6	-0.5	-0.4	-0.3
31 W	-0.1	0.3	0.9	1.4	1.5	1.2	0.5	-0.1	-0.5	-0.6	-0.6	-0.6
	-0.4	-0.1	0.5	1.1	1.4	1.3	0.7	0.0	-0.5	-0.8	-0.8	-0.7

New Bedford, Mass.

Datum = NGVD

Predicted Hourly Heights

April, 2004

NOAA, National Ocean Service

EST/EDT Daylight Savings in effect from April 4 to October 31

Day	Hours 0/12	Hours 1/13	Hours 2/14	Hours 3/15	Hours 4/16	Hours 5/17	Hours 6/18	Hours 7/19	Hours 8/20	Hours 9/21	Hours 10/22	Hours 11/23
1 Th	-0.5	-0.2	0.4	1.1	1.7	1.8	1.3	0.5	-0.3	-0.8	-0.9	-0.9
	-0.8	-0.5	0.1	0.9	1.6	1.9	1.6	0.8	-0.1	-0.8	-1.1	-1.1
2 F	-1.0	-0.7	-0.1	0.7	1.5	2.0	2.0	1.3	0.3	-0.6	-1.1	-1.3
	-1.2	-0.9	-0.3	0.4	1.4	2.1	2.3	1.7	0.7	-0.3	-1.1	-1.5
3 Sa	-1.5	-1.2	-0.7	0.0	1.0	1.9	2.3	2.1	1.2	0.0	-0.9	-1.5
	-1.6	-1.4	-0.9	-0.1	0.9	1.9	2.6	2.6	1.8	0.6	-0.7	-1.5
4 Su	-1.9	-1.8	-1.4	-1.4	-0.7	0.3	1.4	2.3	2.6	2.1	1.0	-0.3
	-1.4	-1.9	-1.8	-1.4	-0.7	0.3	1.4	2.4	3.0	2.7	1.7	0.3
5 M	-1.1	-1.9	-2.2	-1.9	-1.3	-0.5	0.6	1.7	2.5	2.6	1.9	0.6
	-0.8	-1.7	-2.1	-1.9	-1.3	-0.4	0.7	1.9	2.9	3.2	2.7	1.5
6 Tu	-0.1	-1.4	-2.2	-2.3	-1.9	-1.2	-0.2	0.9	2.0	2.6	2.5	1.6
	0.2	-1.2	-2.0	-2.2	-1.8	-1.0	0.0	1.1	2.3	3.1	3.2	2.5
7 W	1.1	-0.4	-1.6	-2.2	-2.2	-1.7	-0.9	0.0	1.1	2.1	2.5	2.2
	1.2	-0.2	-1.4	-2.1	-2.1	-1.6	-0.7	0.3	1.4	2.4	3.1	3.1
8 Th	2.2	0.8	-0.6	-1.7	-2.1	-2.0	-1.5	-0.7	0.2	1.2	2.0	2.3
	1.9	0.9	-0.4	-1.5	-1.9	-1.8	-1.3	-0.5	0.5	1.5	2.4	3.0
9 F	2.8	2.0	0.6	-0.7	-1.6	-1.9	-1.7	-1.2	-0.6	0.2	1.1	1.8
	2.1	1.6	0.6	-0.5	-1.4	-1.7	-1.5	-1.0	-0.3	0.5	1.4	2.2
10 Sa	2.7	2.5	1.7	0.5	-0.6	-1.3	-1.6	-1.4	-1.0	-0.5	0.2	1.0
	1.6	1.8	1.4	0.5	-0.5	-1.2	-1.4	-1.2	-0.8	-0.3	0.4	1.2
11 Su	2.0	2.4	2.3	1.6	0.5	-0.5	-1.1	-1.2	-1.2	-0.9	-0.6	0.0
	0.8	1.5	1.7	1.4	0.6	-0.3	-0.9	-1.1	-1.0	-0.8	-0.4	0.1
12 M	0.9	1.7	2.2	2.1	1.5	0.6	-0.3	-0.8	-1.0	-1.1	-1.0	-0.7
	-0.1	0.7	1.4	1.7	1.5	0.8	0.0	-0.6	-0.9	-1.0	-0.9	-0.7
13 Tu	-0.1	0.6	1.5	2.1	2.1	1.5	0.7	-0.1	-0.6	-1.0	-1.1	-1.1
	-0.8	-0.2	0.7	1.5	1.9	1.7	1.0	0.2	-0.5	-0.8	-1.0	-1.1
14 W	-0.9	-0.4	0.5	1.5	2.1	2.1	1.6	0.7	-0.1	-0.6	-1.0	-1.2
	-1.2	-0.9	-0.1	0.9	1.8	2.2	1.9	1.1	0.3	-0.5	-0.9	-1.2
15 Th	-1.3	-1.1	-0.5	0.5	1.5	2.2	2.2	1.6	0.7	-0.2	-0.8	-1.2
	-1.4	-1.3	-0.8	0.1	1.3	2.1	2.4	2.0	1.2	0.2	-0.6	-1.2
16 F	-1.5	-1.5	-1.2	-0.4	0.7	1.7	2.3	2.2	1.5	0.5	-0.4	-1.0
	-1.4	-1.5	-1.2	-0.6	0.5	1.7	2.5	2.6	2.0	1.0	0.0	-0.9
17 Sa	-1.4	-1.7	-1.6	-1.1	-0.2	1.0	2.0	2.4	2.1	1.2	0.1	-0.7
	-1.3	-1.5	-1.5	-1.0	-0.2	1.0	2.1	2.8	2.7	1.9	0.7	-0.4
18 Su	-1.2	-1.6	-1.8	-1.5	-0.9	0.1	1.3	2.2	2.4	1.8	0.8	-0.3
	-1.1	-1.5	-1.6	-1.3	-0.7	0.3	1.5	2.5	2.9	2.6	1.6	0.3
19 M	-0.8	-1.4	-1.7	-1.7	-1.3	-0.5	0.5	1.6	2.3	2.2	1.5	0.3
	-0.7	-1.4	-1.6	-1.5	-1.0	-0.3	0.8	1.9	2.7	2.9	2.3	1.1
20 Tu	-0.1	-1.1	-1.6	-1.7	-1.5	-0.9	-0.1	0.9	1.8	2.2	1.9	1.0
	-0.1	-1.1	-1.5	-1.5	-1.2	-0.6	0.2	1.2	2.2	2.8	2.7	1.8
21 W	0.6	-0.5	-1.3	-1.6	-1.5	-1.1	-0.5	0.3	1.2	1.9	2.0	1.5
	0.5	-0.5	-1.3	-1.5	-1.3	-0.8	-0.2	0.6	1.5	2.3	2.6	2.3
22 Th	1.3	0.1	-0.8	-1.4	-1.4	-1.2	-0.7	-0.2	0.6	1.3	1.8	1.7
	1.1	0.1	-0.8	-1.3	-1.3	-0.9	-0.4	0.2	0.9	1.7	2.2	2.3
23 F	1.8	0.8	-0.2	-1.0	-1.3	-1.1	-0.8	-0.4	0.1	0.7	1.3	1.6
	1.4	0.7	-0.2	-0.9	-1.2	-1.0	-0.5	0.0	0.5	1.1	1.6	2.0
24 Sa	2.0	1.4	0.5	-0.5	-1.0	-1.1	-0.8	-0.4	-0.1	0.3	0.7	1.2
	1.3	1.1	0.4	-0.4	-0.9	-1.0	-0.6	-0.2	0.3	0.7	1.1	1.5
25 Su	1.8	1.6	1.0	0.2	-0.5	-0.9	-0.8	-0.5	-0.2	0.1	0.3	0.7
	1.0	1.2	0.9	0.2	-0.4	-0.8	-0.7	-0.3	0.1	0.4	0.7	1.0
26 M	1.3	1.5	1.4	0.8	0.1	-0.5	-0.8	-0.6	-0.3	-0.1	0.1	0.3
	0.7	1.0	1.1	0.8	0.2	-0.3	-0.6	-0.5	-0.2	0.1	0.4	0.6
27 Tu	0.9	1.2	1.4	1.3	0.7	0.0	-0.5	-0.7	-0.5	-0.3	-0.1	0.0
	0.3	0.7	1.1	1.2	0.9	0.3	-0.3	-0.5	-0.4	-0.2	0.0	0.2
28 W	0.4	0.8	1.2	1.4	1.3	0.7	0.0	-0.5	-0.7	-0.6	-0.4	-0.2
	0.0	0.3	0.8	1.3	1.4	1.0	0.4	-0.2	-0.5	-0.5	-0.4	-0.2
29 Th	0.0	0.3	0.8	1.3	1.6	1.4	0.8	0.0	-0.6	-0.8	-0.7	-0.6
	-0.3	0.0	0.5	1.2	1.7	1.2	0.5	-0.3	-0.7	-0.7	-0.8	-0.7
30 F	-0.5	-0.2	0.3	0.9	1.6	1.8	1.5	0.8	-0.1	-0.8	-1.0	-1.0
	-0.8	-0.4	0.1	0.8	1.6	2.1	2.1	1.4	0.5	-0.4	-1.0	-1.1

New Bedford, Mass.

Datum = NGVD

Predicted Hourly Heights

May, 2004

NOAA, National Ocean Service

Eastern Daylight Savings Time

Day	Hours 0/12	Hours 1/13	Hours 2/14	Hours 3/15	Hours 4/16	Hours 5/17	Hours 6/18	Hours 7/19	Hours 8/20	Hours 9/21	Hours 10/22	Hours 11/23
1 Sa	-1.0	-0.7	-0.3	0.4	1.2	1.9	2.1	1.6	0.7	-0.4	-1.1	-1.4
	-1.3	-0.9	-0.4	0.4	1.3	2.2	2.6	2.4	1.5	0.3	-0.7	-1.3
2 Su	-1.5	-1.4	-0.9	-0.3	0.6	1.5	2.2	2.3	1.6	0.5	-0.7	-1.4
	-1.7	-1.5	-1.0	-0.3	0.7	1.8	2.7	3.0	2.6	1.5	0.1	-1.1
3 M	-1.7	-1.9	-1.6	-1.0	-0.2	0.8	1.9	2.5	2.4	1.5	0.2	-1.0
	-1.8	-1.9	-1.6	-1.0	0.0	1.1	2.3	3.2	3.3	2.7	1.3	-0.2
4 Tu	-1.4	-2.0	-2.1	-1.7	-1.0	0.0	1.1	2.1	2.6	2.3	1.3	-0.1
	-1.3	-2.0	-2.1	-1.6	-0.8	0.3	1.5	2.7	3.4	3.4	2.6	1.1
5 W	-0.5	-1.6	-2.2	-2.2	-1.7	-0.9	0.2	1.3	2.3	2.6	2.2	1.0
	-0.4	-1.5	-2.1	-2.1	-1.5	-0.6	0.5	1.8	2.9	3.6	3.4	2.4
6 Th	0.8	-0.7	-1.8	-2.2	-2.1	-1.5	-0.7	0.3	1.5	2.3	2.6	2.0
	0.8	-0.6	-1.6	-2.1	-1.9	-1.3	-0.4	0.7	1.9	3.0	3.5	3.2
7 F	2.1	0.6	-0.8	-1.8	-2.1	-1.9	-1.4	-0.6	0.4	1.5	2.2	2.4
	1.8	0.6	-0.7	-1.6	-1.9	-1.6	-1.1	-0.2	0.8	1.9	2.8	3.2
8 Sa	2.9	1.8	0.4	-0.8	-1.6	-1.8	-1.7	-1.2	-0.5	0.4	1.4	2.1
	2.2	1.6	0.5	-0.6	-1.3	-1.6	-1.4	-0.9	-0.2	0.7	1.7	2.6
9 Su	2.9	2.6	1.6	0.3	-0.7	-1.4	-1.6	-1.4	-1.1	-0.4	0.4	1.3
	2.0	2.1	1.5	0.5	-0.4	-1.1	-1.3	-1.1	-0.8	-0.2	0.5	1.5
10 M	2.3	2.6	2.3	1.4	0.3	-0.6	-1.1	-1.3	-1.2	-1.0	-0.5	0.3
	1.2	1.9	2.0	1.5	0.6	-0.2	-0.8	-1.0	-1.0	-0.8	-0.4	0.3
11 Tu	1.2	2.0	2.4	2.1	1.3	0.4	-0.4	-0.9	-1.1	-1.2	-1.0	-0.5
	0.3	1.2	1.9	2.0	1.6	0.8	0.0	-0.5	-0.8	-0.9	-0.9	-0.6
12 W	0.1	1.0	1.8	2.2	2.0	1.3	0.4	-0.3	-0.8	-1.0	-1.1	-1.0
	-0.5	0.4	1.3	2.0	2.2	1.7	0.9	0.1	-0.4	-0.8	-1.0	-1.0
13 Th	-0.7	-0.1	0.9	1.7	2.1	1.9	1.2	0.3	-0.3	-0.8	-1.1	-1.2
	-1.0	-0.4	0.5	1.5	2.2	2.3	1.8	1.0	0.2	-0.5	-0.9	-1.1
14 F	-1.2	-0.8	-0.1	0.9	1.7	2.1	1.8	1.0	0.2	-0.5	-0.9	-1.1
	-1.2	-0.9	-0.2	0.8	1.9	2.5	2.4	1.8	0.9	0.0	-0.6	-1.0
15 Sa	-1.3	-1.2	-0.8	0.0	1.1	1.8	2.1	1.6	0.8	0.0	-0.7	-1.1
	-1.2	-1.1	-0.7	0.1	1.2	2.2	2.7	2.5	1.7	0.7	-0.2	-0.8
16 Su	-1.2	-1.3	-1.2	-0.6	0.3	1.3	2.0	2.0	1.4	0.5	-0.3	-0.9
	-1.2	-1.2	-1.0	-0.4	0.5	1.6	2.5	2.8	2.4	1.4	0.4	-0.5
17 M	-1.1	-1.3	-1.3	-1.0	-0.4	0.6	1.5	2.0	1.9	1.1	0.2	-0.7
	-1.1	-1.3	-1.1	-0.7	0.0	1.0	2.0	2.8	2.8	2.1	1.1	0.0
18 Tu	-0.8	-1.2	-1.4	-1.2	-0.8	0.0	0.9	1.7	2.0	1.7	0.8	-0.2
	-1.0	-1.3	-1.2	-0.9	-0.4	0.4	1.4	2.3	2.8	2.6	1.8	0.6
19 W	-0.4	-1.1	-1.3	-1.3	-1.0	-0.5	0.3	1.2	1.9	1.9	1.4	0.4
	-0.6	-1.2	-1.3	-1.1	-0.7	0.0	0.8	1.7	2.5	2.8	2.3	1.4
20 Th	0.2	-0.7	-1.2	-1.3	-1.1	-0.7	-0.2	0.6	1.4	1.9	1.7	1.0
	0.0	-0.8	-1.2	-1.2	-0.8	-0.3	0.3	1.1	1.9	2.5	2.6	2.0
21 F	0.9	-0.2	-0.9	-1.2	-1.1	-0.8	-0.4	0.1	0.8	1.5	1.7	1.5
	0.7	-0.3	-0.9	-1.2	-0.9	-0.5	0.0	0.6	1.3	2.0	2.4	2.3
22 Sa	1.5	0.5	-0.5	-1.0	-1.1	-0.9	-0.6	-0.2	0.4	1.0	1.5	1.6
	1.2	0.4	-0.4	-1.0	-1.0	-0.7	-0.2	0.3	0.8	1.4	1.9	2.2
23 Su	1.9	1.1	0.2	-0.6	-1.0	-1.0	-0.7	-0.3	0.1	0.5	1.0	1.4
	1.4	1.0	0.2	-0.5	-0.9	-0.8	-0.4	0.1	0.5	0.9	1.4	1.8
24 M	1.9	1.6	0.8	-0.1	-0.7	-0.9	-0.8	-0.4	-0.1	0.2	0.6	1.0
	1.3	1.3	0.8	0.1	-0.5	-0.8	-0.6	-0.2	0.2	0.6	0.9	1.3
25 Tu	1.7	1.7	1.3	0.6	-0.2	-0.8	-0.9	-0.6	-0.3	0.0	0.3	0.7
	1.1	1.4	1.3	0.7	0.0	-0.5	-0.6	-0.4	-0.1	0.3	0.6	0.9
26 W	1.3	1.6	1.6	1.1	0.4	-0.4	-0.8	-0.8	-0.6	-0.2	0.0	0.4
	0.8	1.2	1.5	1.3	0.8	0.1	-0.5	-0.6	-0.4	-0.1	0.2	0.5
27 Th	0.8	1.2	1.6	1.5	1.1	0.3	-0.5	-0.8	-0.8	-0.6	-0.3	0.1
	0.5	1.0	1.5	1.7	1.5	0.9	0.1	-0.5	-0.7	-0.5	-0.3	0.0
28 F	0.3	0.8	1.3	1.6	1.6	1.0	0.2	-0.6	-1.0	-1.0	-0.7	-0.3
	0.1	0.6	1.2	1.8	2.1	1.8	1.0	0.1	-0.6	-0.8	-0.7	-0.5
29 Sa	-0.2	0.2	0.8	1.4	1.8	1.7	1.0	0.1	-0.7	-1.2	-1.2	-0.9
	-0.4	0.1	0.8	1.6	2.3	2.4	2.0	1.1	0.0	-0.8	-1.1	-1.0
30 Su	-0.8	-0.4	0.2	0.9	1.6	2.0	1.8	1.0	-0.1	-1.0	-1.4	-1.4
	-1.0	-0.5	0.2	1.1	2.1	2.7	2.8	2.2	1.1	-0.1	-1.0	-1.4
31 M	-1.4	-1.1	-0.5	0.2	1.1	1.9	2.2	1.9	1.0	-0.2	-1.2	-1.7
	-1.6	-1.2	-0.5	0.4	1.5	2.5	3.2	3.1	2.3	1.0	-0.3	-1.3

New Bedford, Mass.

Datum = NGVD

Predicted Hourly Heights

June, 2004

NOAA, National Ocean Service

Eastern Daylight Savings Time

Day	Hours 0/12	Hours 1/13	Hours 2/14	Hours 3/15	Hours 4/16	Hours 5/17	Hours 6/18	Hours 7/19	Hours 8/20	Hours 9/21	Hours 10/22	Hours 11/23
1 Tu	-1.7	-1.6	-1.3	-0.6	0.3	1.3	2.1	2.4	1.9	0.9	-0.4	-1.4
	-1.9	-1.8	-1.3	-0.5	0.6	1.8	2.9	3.5	3.3	2.4	0.9	-0.5
2 W	-1.5	-1.9	-1.8	-1.4	-0.6	0.4	1.5	2.3	2.5	1.9	0.7	-0.6
	-1.6	-2.0	-1.9	-1.3	-0.4	0.8	2.1	3.2	3.7	3.4	2.3	0.7
3 Th	-0.7	-1.7	-2.1	-1.9	-1.4	-0.6	0.5	1.7	2.5	2.6	1.9	0.6
	-0.8	-1.7	-2.1	-1.8	-1.2	-0.3	0.9	2.2	3.3	3.8	3.3	2.1
4 F	0.5	-0.9	-1.8	-2.1	-1.9	-1.4	-0.5	0.7	1.8	2.5	2.5	1.8
	0.5	-0.8	-1.7	-2.0	-1.7	-1.1	-0.2	1.0	2.3	3.3	3.6	3.1
5 Sa	1.9	0.3	-1.0	-1.8	-2.0	-1.8	-1.3	-0.4	0.7	1.8	2.5	2.5
	1.6	0.4	-0.8	-1.6	-1.8	-1.5	-1.0	-0.1	1.0	2.2	3.1	3.4
6 Su	2.8	1.6	0.2	-1.0	-1.7	-1.8	-1.6	-1.1	-0.3	0.8	1.8	2.5
	2.4	1.6	0.4	-0.7	-1.4	-1.5	-1.3	-0.8	-0.1	1.0	2.1	2.9
7 M	3.1	2.5	1.3	0.1	-0.9	-1.5	-1.6	-1.5	-1.0	-0.2	0.8	1.8
	2.4	2.3	1.5	0.4	-0.5	-1.1	-1.3	-1.1	-0.8	-0.1	0.8	1.8
8 Tu	2.6	2.7	2.2	1.1	0.0	-0.8	-1.3	-1.4	-1.3	-0.9	-0.1	0.9
	1.8	2.3	2.2	1.5	0.5	-0.3	-0.8	-1.0	-1.0	-0.7	-0.2	0.6
9 W	1.6	2.3	2.4	1.9	0.9	0.0	-0.7	-1.1	-1.2	-1.1	-0.8	0.0
	0.9	1.8	2.3	2.2	1.5	0.6	-0.2	-0.6	-0.9	-0.9	-0.8	-0.3
10 Th	0.5	1.4	2.0	2.1	1.6	0.8	-0.1	-0.7	-1.0	-1.1	-1.0	-0.6
	0.1	1.0	1.9	2.4	2.2	1.5	0.6	-0.1	-0.5	-0.8	-0.9	-0.8
11 F	-0.4	0.4	1.3	1.9	1.9	1.4	0.6	-0.1	-0.6	-0.9	-1.0	-0.9
	-0.5	0.2	1.2	2.1	2.4	2.2	1.5	0.6	0.0	-0.5	-0.8	-0.9
12 Sa	-0.8	-0.4	0.4	1.3	1.8	1.7	1.2	0.4	-0.3	-0.7	-0.9	-0.9
	-0.8	-0.3	0.5	1.4	2.2	2.5	2.1	1.4	0.5	-0.1	-0.5	-0.8
13 Su	-0.9	-0.8	-0.3	0.5	1.3	1.8	1.6	1.0	0.2	-0.4	-0.8	-0.9
	-0.9	-0.7	-0.1	0.8	1.7	2.4	2.5	2.0	1.2	0.3	-0.3	-0.7
14 M	-0.9	-0.9	-0.7	-0.1	0.7	1.4	1.8	1.5	0.8	0.0	-0.6	-0.9
	-0.9	-0.8	-0.5	0.2	1.1	2.0	2.6	2.5	1.9	1.0	0.1	-0.5
15 Tu	-0.8	-1.0	-0.9	-0.6	0.1	0.9	1.6	1.8	1.3	0.5	-0.3	-0.8
	-1.0	-0.9	-0.7	-0.2	0.5	1.4	2.3	2.7	2.4	1.6	0.6	-0.2
16 W	-0.7	-1.0	-1.0	-0.8	-0.4	0.3	1.2	1.7	1.7	1.1	0.3	-0.5
	-0.9	-1.0	-0.9	-0.5	0.0	0.8	1.8	2.5	2.7	2.3	1.3	0.3
17 Th	-0.5	-0.9	-1.0	-1.0	-0.7	-0.1	0.6	1.4	1.8	1.6	0.9	0.0
	-0.7	-1.0	-1.0	-0.7	-0.3	0.3	1.1	2.0	2.6	2.6	2.0	1.0
18 F	-0.1	-0.8	-1.0	-1.0	-0.8	-0.5	0.1	0.9	1.6	1.8	1.5	0.7
	-0.2	-0.9	-1.1	-0.9	-0.5	0.0	0.6	1.4	2.2	2.6	2.4	1.7
19 Sa	0.6	-0.4	-0.9	-1.1	-1.0	-0.7	-0.2	0.4	1.1	1.7	1.8	1.3
	0.4	-0.4	-1.0	-1.0	-0.7	-0.3	0.2	0.9	1.6	2.3	2.5	2.1
20 Su	1.3	0.2	-0.6	-1.0	-1.0	-0.8	-0.5	0.0	0.6	1.3	1.7	1.6
	1.1	0.2	-0.6	-1.0	-0.9	-0.5	-0.1	0.5	1.1	1.7	2.2	2.3
21 M	1.8	0.9	-0.1	-0.8	-1.1	-0.9	-0.6	-0.2	0.2	0.8	1.4	1.7
	1.5	0.9	0.0	-0.7	-0.9	-0.7	-0.3	0.2	0.7	1.2	1.8	2.1
22 Tu	2.1	1.5	0.5	-0.4	-1.0	-1.0	-0.8	-0.4	0.0	0.5	1.0	1.5
	1.7	1.4	0.7	-0.2	-0.7	-0.8	-0.6	-0.1	0.3	0.8	1.3	1.7
23 W	2.0	1.8	1.1	0.2	-0.6	-1.0	-1.0	-0.6	-0.2	0.2	0.7	1.2
	1.6	1.7	1.3	0.6	-0.2	-0.7	-0.8	-0.5	0.0	0.4	0.8	1.2
24 Th	1.7	1.9	1.6	0.9	-0.1	-0.8	-1.1	-0.9	-0.5	-0.1	0.4	0.8
	1.4	1.8	1.8	1.3	0.5	-0.3	-0.7	-0.7	-0.4	0.0	0.4	0.8
25 F	1.2	1.6	1.8	1.4	0.6	-0.3	-0.9	-1.1	-0.9	-0.5	0.0	0.5
	1.0	1.6	2.0	2.0	1.4	0.5	-0.3	-0.7	-0.7	-0.5	-0.1	0.3
26 Sa	0.7	1.2	1.6	1.7	1.3	0.5	-0.4	-1.1	-1.2	-0.9	-0.5	0.0
	0.6	1.2	1.9	2.3	2.2	1.5	0.6	-0.3	-0.8	-0.8	-0.6	-0.3
27 Su	0.1	0.6	1.2	1.7	1.7	1.3	0.4	-0.5	-1.2	-1.3	-1.0	-0.6
	0.0	0.7	1.4	2.2	2.6	2.4	1.7	0.6	-0.3	-0.9	-1.0	-0.8
28 M	-0.5	0.0	0.6	1.2	1.8	1.9	1.3	0.4	-0.6	-1.3	-1.5	-1.2
	-0.7	0.0	0.8	1.7	2.5	3.0	2.7	1.8	0.6	-0.4	-1.1	-1.3
29 Tu	-1.1	-0.7	-0.2	0.5	1.4	2.0	2.0	1.4	0.4	-0.7	-1.4	-1.6
	-1.4	-0.8	-0.1	0.9	1.9	2.9	3.3	3.0	1.9	0.6	-0.5	-1.3
30 W	-1.5	-1.4	-1.0	-0.3	0.6	1.5	2.2	2.2	1.5	0.3	-0.8	-1.6
	-1.8	-1.5	-0.9	-0.1	1.0	2.2	3.2	3.6	3.1	2.0	0.5	-0.7

New Bedford, Mass.

Datum = NGVD

Predicted Hourly Heights

July, 2004

NOAA, National Ocean Service

Eastern Daylight Savings Time

Day	Hours 0/12	Hours 1/13	Hours 2/14	Hours 3/15	Hours 4/16	Hours 5/17	Hours 6/18	Hours 7/19	Hours 8/20	Hours 9/21	Hours 10/22	Hours 11/23
1 Th	-1.5	-1.7	-1.6	-1.1	-0.3	0.7	1.7	2.4	2.4	1.6	0.3	-0.9
	-1.7	-1.9	-1.6	-1.0	-0.1	1.1	2.4	3.4	3.7	3.2	1.9	0.4
2 F	-0.9	-1.7	-1.9	-1.7	-1.2	-0.3	0.9	2.0	2.6	2.5	1.6	0.3
	-1.0	-1.7	-2.0	-1.7	-1.0	-0.1	1.2	2.5	3.5	3.7	3.1	1.7
3 Sa	0.2	-1.1	-1.8	-2.0	-1.8	-1.2	-0.2	1.0	2.2	2.8	2.5	1.6
	0.2	-1.0	-1.7	-1.9	-1.7	-1.0	0.0	1.3	2.6	3.5	3.6	2.9
4 Su	1.5	0.0	-1.2	-1.8	-2.0	-1.7	-1.1	0.0	1.2	2.3	2.8	2.5
	1.5	0.2	-1.0	-1.6	-1.8	-1.5	-0.9	0.1	1.3	2.6	3.4	3.4
5 M	2.5	1.2	-0.2	-1.3	-1.8	-1.9	-1.6	-0.9	0.2	1.4	2.4	2.8
	2.4	1.4	0.1	-0.9	-1.5	-1.6	-1.4	-0.8	0.1	1.3	2.4	3.1
6 Tu	3.0	2.1	0.9	-0.4	-1.3	-1.7	-1.7	-1.3	-0.7	0.3	1.5	2.4
	2.7	2.3	1.3	0.1	-0.8	-1.3	-1.4	-1.1	-0.6	0.2	1.2	2.2
7 W	2.8	2.6	1.7	0.6	-0.5	-1.2	-1.5	-1.4	-1.1	-0.4	0.5	1.6
	2.4	2.6	2.1	1.2	0.1	-0.6	-1.0	-1.1	-0.9	-0.5	0.2	1.1
8 Th	2.0	2.4	2.2	1.4	0.3	-0.6	-1.1	-1.2	-1.1	-0.8	-0.2	0.6
	1.6	2.3	2.5	2.0	1.1	0.2	-0.5	-0.8	-0.8	-0.7	-0.4	0.2
9 F	1.0	1.8	2.1	1.8	1.0	0.1	-0.6	-0.9	-1.0	-0.9	-0.6	-0.1
	0.8	1.7	2.3	2.3	1.8	1.0	0.2	-0.3	-0.6	-0.6	-0.6	-0.4
10 Sa	0.2	0.9	1.6	1.8	1.5	0.8	0.0	-0.5	-0.8	-0.8	-0.7	-0.4
	0.1	0.9	1.7	2.3	2.2	1.7	0.9	0.2	-0.2	-0.4	-0.5	-0.6
11 Su	-0.4	0.1	0.8	1.4	1.6	1.2	0.6	-0.1	-0.5	-0.7	-0.7	-0.6
	-0.3	0.2	1.0	1.8	2.3	2.2	1.6	0.8	0.2	-0.2	-0.4	-0.5
12 M	-0.6	-0.3	0.2	0.9	1.4	1.5	1.1	0.4	-0.2	-0.6	-0.6	-0.6
	-0.5	-0.2	0.4	1.2	2.0	2.3	2.1	1.5	0.7	0.1	-0.2	-0.5
13 Tu	-0.6	-0.6	-0.3	0.3	0.9	1.4	1.4	1.0	0.3	-0.3	-0.6	-0.7
	-0.6	-0.4	-0.1	0.6	1.4	2.1	2.4	2.1	1.4	0.6	0.0	-0.4
14 W	-0.6	-0.7	-0.6	-0.2	0.4	1.1	1.5	1.4	0.9	0.2	-0.4	-0.7
	-0.7	-0.6	-0.4	0.1	0.8	1.7	2.3	2.5	2.0	1.2	0.3	-0.3
15 Th	-0.6	-0.7	-0.7	-0.6	-0.1	0.6	1.3	1.7	1.4	0.8	0.0	-0.6
	-0.8	-0.8	-0.6	-0.3	0.3	1.1	2.0	2.5	2.5	1.9	0.9	0.1
16 F	-0.5	-0.8	-0.9	-0.8	-0.5	0.1	0.9	1.6	1.8	1.4	0.6	-0.2
	-0.7	-0.9	-0.8	-0.5	-0.1	0.6	1.4	2.2	2.6	2.4	1.6	0.6
17 Sa	-0.3	-0.8	-1.0	-0.9	-0.7	-0.3	0.4	1.2	1.8	1.9	1.3	0.4
	-0.4	-0.9	-1.0	-0.8	-0.4	0.1	0.8	1.7	2.4	2.7	2.3	1.3
18 Su	0.2	-0.6	-1.0	-1.1	-0.9	-0.6	0.0	0.7	1.5	2.0	1.8	1.1
	0.2	-0.6	-1.0	-1.0	-0.7	-0.2	0.4	1.1	1.9	2.5	2.6	2.0
19 M	0.9	-0.1	-0.9	-1.2	-1.1	-0.8	-0.3	0.3	1.1	1.7	2.0	1.7
	0.9	-0.1	-0.8	-1.1	-1.0	-0.5	0.0	0.6	1.4	2.1	2.5	2.4
20 Tu	1.6	0.5	-0.5	-1.1	-1.2	-1.0	-0.6	0.0	0.6	1.4	1.9	2.1
	1.6	0.7	-0.3	-1.0	-1.1	-0.8	-0.3	0.2	0.8	1.5	2.1	2.4
21 W	2.1	1.2	0.1	-0.8	-1.3	-1.2	-0.8	-0.3	0.3	1.0	1.6	2.1
	2.0	1.4	0.4	-0.5	-1.0	-1.0	-0.7	-0.1	0.4	1.0	1.6	2.1
22 Th	2.2	1.7	0.7	-0.3	-1.1	-1.3	-1.1	-0.6	0.0	0.6	1.2	1.8
	2.1	2.0	1.2	0.2	-0.6	-1.0	-0.9	-0.5	0.0	0.6	1.1	1.6
23 F	2.0	1.9	1.4	0.4	-0.6	-1.2	-1.3	-0.9	-0.4	0.2	0.8	1.4
	2.0	2.2	1.9	1.1	0.1	-0.6	-1.0	-0.8	-0.4	0.1	0.6	1.1
24 Sa	1.5	1.8	1.7	1.1	0.1	-0.8	-1.3	-1.2	-0.8	-0.2	0.4	1.0
	1.6	2.1	2.3	2.0	1.1	0.1	-0.6	-0.9	-0.7	-0.3	0.1	0.5
25 Su	1.0	1.5	1.7	1.6	0.9	0.0	-0.9	-1.3	-1.2	-0.7	-0.2	0.4
	1.1	1.7	2.3	2.4	2.1	1.2	0.2	-0.6	-0.8	-0.7	-0.4	-0.1
26 M	0.4	0.9	1.4	1.7	1.5	0.9	-0.1	-0.9	-1.3	-1.2	-0.8	-0.2
	0.4	1.1	1.9	2.5	2.6	2.2	1.3	0.3	-0.5	-0.9	-0.8	-0.6
27 Tu	-0.3	0.2	0.8	1.4	1.8	1.6	0.9	0.0	-0.9	-1.3	-1.2	-0.9
	-0.4	0.3	1.1	2.0	2.7	2.9	2.4	1.5	0.3	-0.5	-1.0	-1.0
28 W	-0.9	-0.6	0.0	0.7	1.5	1.9	1.8	1.1	0.0	-0.9	-1.3	-1.4
	-1.1	-0.6	0.2	1.1	2.2	3.0	3.2	2.6	1.6	0.4	-0.6	-1.2
29 Th	-1.3	-1.2	-0.8	-0.1	0.8	1.7	2.2	2.0	1.2	0.1	-0.9	-1.4
	-1.6	-1.3	-0.8	0.1	1.2	2.4	3.2	3.4	2.8	1.6	0.3	-0.8
30 F	-1.4	-1.6	-1.4	-0.9	-0.1	1.0	2.0	2.5	2.3	1.3	0.1	-0.9
	-1.6	-1.7	-1.5	-0.9	0.0	1.3	2.6	3.4	3.6	2.8	1.5	0.1
31 Sa	-1.0	-1.6	-1.8	-1.6	-1.0	0.0	1.3	2.3	2.8	2.4	1.4	0.1
	-1.0	-1.7	-1.9	-1.6	-1.0	0.1	1.4	2.8	3.6	3.6	2.7	1.3

New Bedford, Mass.

Datum = NGVD

Predicted Hourly Heights

August, 2004

NOAA, National Ocean Service

Eastern Daylight Savings Time

Day	Hours 0/12	Hours 1/13	Hours 2/14	Hours 3/15	Hours 4/16	Hours 5/17	Hours 6/18	Hours 7/19	Hours 8/20	Hours 9/21	Hours 10/22	Hours 11/23
1 Su	-0.2	-1.2	-1.8	-1.9	-1.6	-0.9	0.3	1.6	2.6	3.0	2.5	1.4
	0.0	-1.1	-1.8	-1.9	-1.6	-0.9	0.2	1.6	2.9	3.6	3.4	2.4
2 M	0.9	-0.4	-1.4	-1.9	-1.9	-1.5	-0.7	0.6	1.9	2.9	3.1	2.4
	1.2	-0.2	-1.2	-1.8	-1.8	-1.5	-0.7	0.4	1.7	2.9	3.4	3.1
3 Tu	2.0	0.6	-0.7	-1.6	-1.9	-1.8	-1.3	-0.4	0.9	2.1	2.9	3.0
	2.3	1.0	-0.3	-1.2	-1.6	-1.6	-1.2	-0.5	0.6	1.8	2.8	3.1
4 W	2.6	1.5	0.2	-0.9	-1.5	-1.7	-1.5	-0.9	0.0	1.1	2.2	2.9
	2.8	2.0	0.8	-0.4	-1.1	-1.4	-1.3	-0.9	-0.3	0.7	1.7	2.5
5 Th	2.7	2.1	1.0	-0.1	-1.0	-1.4	-1.4	-1.1	-0.6	0.3	1.3	2.3
	2.8	2.5	1.7	0.6	-0.4	-0.9	-1.1	-1.0	-0.6	-0.1	0.7	1.6
6 F	2.2	2.2	1.6	0.6	-0.4	-1.0	-1.2	-1.1	-0.8	-0.3	0.5	1.4
	2.2	2.5	2.2	1.4	0.5	-0.3	-0.7	-0.7	-0.6	-0.4	0.1	0.7
7 Sa	1.4	1.9	1.8	1.2	0.3	-0.5	-0.9	-0.9	-0.7	-0.5	0.0	0.6
	1.4	2.1	2.3	2.0	1.2	0.4	-0.2	-0.4	-0.4	-0.4	-0.2	0.1
8 Su	0.7	1.2	1.6	1.5	0.9	0.1	-0.5	-0.7	-0.6	-0.5	-0.2	0.1
	0.7	1.4	2.0	2.1	1.8	1.1	0.4	0.0	-0.2	-0.2	-0.2	-0.2
9 M	0.1	0.6	1.1	1.4	1.2	0.7	0.0	-0.4	-0.5	-0.5	-0.3	-0.1
	0.2	0.7	1.4	1.9	2.0	1.7	1.0	0.4	0.0	-0.1	-0.2	-0.2
10 Tu	-0.2	0.0	0.5	1.0	1.3	1.1	0.6	0.0	-0.3	-0.4	-0.4	-0.3
	-0.1	0.2	0.8	1.5	2.0	2.0	1.6	1.0	0.4	0.0	-0.1	-0.3
11 W	-0.3	-0.3	0.0	0.5	1.1	1.3	1.1	0.6	0.0	-0.3	-0.4	-0.4
	-0.3	-0.1	0.2	0.9	1.6	2.1	2.1	1.6	0.9	0.3	-0.1	-0.3
12 Th	-0.4	-0.5	-0.4	0.1	0.7	1.3	1.5	1.2	0.6	0.0	-0.4	-0.5
	-0.5	-0.4	-0.2	0.3	1.1	1.9	2.3	2.2	1.6	0.8	0.1	-0.3
13 F	-0.5	-0.6	-0.3	0.2	1.0	1.6	1.7	1.3	0.6	-0.1	-0.1	-0.6
	-0.7	-0.6	-0.5	-0.1	0.5	1.4	2.2	2.5	2.2	1.5	0.6	-0.2
14 Sa	-0.6	-0.8	-0.8	-0.6	-0.2	0.5	1.3	1.9	1.8	1.3	0.4	-0.3
	-0.8	-0.9	-0.8	-0.5	0.0	0.8	1.7	2.4	2.6	2.2	1.2	0.2
15 Su	-0.5	-0.9	-1.0	-0.9	-0.6	0.1	0.9	1.7	2.1	1.9	1.2	0.2
	-0.6	-1.0	-1.1	-0.8	-0.4	0.3	1.1	2.1	2.7	2.7	2.0	0.9
16 M	-0.2	-0.9	-1.2	-1.1	-0.8	-0.3	0.4	1.3	2.1	2.3	1.9	1.0
	-0.1	-0.9	-1.2	-1.1	-0.8	-0.2	0.6	1.5	2.3	2.8	2.5	1.6
17 Tu	0.4	-0.6	-1.2	-1.3	-1.1	-0.6	0.0	0.9	1.7	2.4	2.4	1.7
	0.7	-0.4	-1.1	-1.3	-1.1	-0.6	0.1	0.9	1.8	2.5	2.7	2.2
18 W	1.2	-0.1	-1.0	-1.4	-1.3	-0.9	-0.3	0.4	1.3	2.1	2.5	2.3
	1.5	0.3	-0.7	-1.3	-1.3	-0.9	-0.3	0.4	1.2	1.9	2.5	2.5
19 Th	1.8	0.7	-0.5	-1.3	-1.5	-1.2	-0.6	0.1	0.8	1.7	2.3	2.6
	2.2	1.2	0.0	-0.9	-1.3	-1.2	-0.7	-0.1	0.6	1.3	2.0	2.3
20 F	2.2	1.4	0.2	-0.9	-1.5	-1.5	-1.0	-0.3	0.4	1.2	1.9	2.4
	2.5	2.0	1.0	-0.2	-1.0	-1.2	-1.0	-0.5	0.1	0.7	1.4	1.9
21 Sa	2.1	1.8	1.0	-0.2	-1.1	-1.5	-1.3	-0.7	-0.1	0.6	1.4	2.0
	2.5	2.5	1.9	0.8	-0.2	-0.9	-1.1	-0.8	-0.3	0.2	0.7	1.3
22 Su	1.7	1.9	1.5	0.7	-0.4	-1.1	-1.4	-1.1	-0.5	0.1	0.8	1.4
	2.1	2.5	2.4	1.8	0.8	-0.2	-0.8	-0.9	-0.6	-0.2	0.2	0.6
23 M	1.1	1.6	1.7	1.3	0.5	-0.4	-1.1	-1.2	-1.0	-0.4	0.1	0.7
	1.4	2.0	2.5	2.4	1.8	0.9	-0.1	-0.6	-0.8	-0.6	-0.3	0.0
24 Tu	0.4	1.0	1.5	1.6	1.3	0.6	-0.3	-0.9	-1.1	-0.9	-0.5	0.0
	0.6	1.3	2.0	2.5	2.5	2.0	1.0	0.1	-0.5	-0.7	-0.7	-0.5
25 W	-0.2	0.2	0.9	1.5	1.7	1.5	0.7	-0.2	-0.8	-1.1	-1.0	-0.7
	-0.2	0.4	1.2	2.1	2.7	2.7	2.1	1.2	0.2	-0.5	-0.8	-0.9
26 Th	-0.8	-0.5	0.1	0.9	1.6	2.0	1.7	0.9	0.0	-0.8	-1.1	-1.1
	-0.9	-0.5	0.2	1.2	2.2	2.9	3.0	2.3	1.3	0.2	-0.6	-1.1
27 F	-1.2	-1.1	-0.7	0.1	1.1	2.0	2.3	2.0	1.1	0.1	-0.8	-1.3
	-1.4	-1.2	-0.7	0.1	1.3	2.4	3.2	3.2	2.4	1.2	0.0	-0.8
28 Sa	-1.3	-1.5	-1.3	-0.8	0.2	1.4	2.4	2.7	2.3	1.2	0.0	-0.9
	-1.5	-1.7	-1.4	-0.9	0.2	1.5	2.7	3.4	3.3	2.4	1.0	-0.2
29 Su	-1.1	-1.6	-1.7	-1.4	-0.7	0.5	1.8	2.8	3.0	2.4	1.2	-0.1
	-1.1	-1.7	-1.8	-1.6	-0.8	0.3	1.7	2.9	3.5	3.2	2.1	0.7
30 M	-0.6	-1.4	-1.8	-1.8	-1.3	-0.4	0.9	2.2	3.1	3.1	2.4	1.0
	-0.3	-1.3	-1.8	-1.9	-1.5	-0.7	0.6	1.9	3.0	3.4	2.9	1.7
31 Tu	0.3	-0.9	-1.7	-1.9	-1.7	-1.1	0.0	1.3	2.6	3.3	3.1	2.1
	0.8	-0.5	-1.4	-1.8	-1.8	-1.3	-0.4	0.8	2.1	3.0	3.2	2.5

New Bedford, Mass.

Datum = NGVD

Predicted Hourly Heights

September, 2004

NOAA, National Ocean Service

Eastern Daylight Savings Time

Day	Hours 0/12	Hours 1/13	Hours 2/14	Hours 3/15	Hours 4/16	Hours 5/17	Hours 6/18	Hours 7/19	Hours 8/20	Hours 9/21	Hours 10/22	Hours 11/23
1 W	1.2	-0.1	-1.2	-1.7	-1.8	-1.4	-0.7	0.4	1.7	2.8	3.3	2.9
	1.8	0.5	-0.7	-1.4	-1.7	-1.5	-0.9	-0.1	1.1	2.2	2.9	2.8
2 Th	2.0	0.7	-0.5	-1.3	-1.6	-1.5	-1.0	-0.3	0.8	1.9	2.8	3.1
	2.5	1.4	0.2	-0.8	-1.3	-1.4	-1.1	-0.5	0.2	1.2	2.1	2.6
3 F	2.3	1.4	0.2	-0.8	-1.3	-1.4	-1.1	-0.6	0.1	1.1	2.0	2.7
	2.8	2.1	1.0	0.0	-0.8	-1.0	-1.0	-0.7	-0.2	0.5	1.2	1.9
4 Sa	2.2	1.8	0.9	-0.1	-0.9	-1.1	-1.0	-0.7	-0.2	0.4	1.2	2.0
	2.5	2.4	1.7	0.7	-0.1	-0.6	-0.7	-0.6	-0.3	0.0	0.5	1.2
5 Su	1.6	1.7	1.3	0.5	-0.3	-0.8	-0.9	-0.6	-0.3	0.1	0.6	1.2
	1.8	2.2	2.0	1.4	0.6	-0.1	-0.4	-0.4	-0.2	-0.1	0.1	0.5
6 M	1.0	1.4	1.4	1.0	0.3	-0.3	-0.6	-0.6	-0.3	0.0	0.2	0.6
	1.2	1.7	2.0	1.8	1.2	0.5	0.0	-0.2	-0.1	0.0	0.0	0.1
7 Tu	0.4	0.8	1.2	1.2	0.8	0.2	-0.3	-0.4	-0.3	-0.1	0.1	0.3
	0.6	1.1	1.6	1.8	1.7	1.2	0.5	0.1	0.0	0.0	0.0	-0.1
8 W	0.0	0.3	0.8	1.1	1.2	0.8	0.3	-0.1	-0.3	-0.2	-0.1	0.0
	0.2	0.5	1.0	1.6	1.9	1.7	1.2	0.6	0.2	0.0	-0.1	-0.1
9 Th	-0.2	-0.1	0.3	0.8	1.2	1.3	0.9	0.4	-0.1	-0.3	-0.2	-0.2
	-0.1	0.1	0.5	1.1	1.7	2.0	1.8	1.2	0.5	0.1	-0.2	-0.3
10 F	-0.4	-0.4	-0.1	0.4	1.0	1.5	1.5	1.0	0.4	-0.1	-0.4	-0.4
	-0.4	-0.3	0.0	0.6	1.4	2.0	2.2	1.9	1.2	0.4	-0.1	-0.4
11 Sa	-0.6	-0.6	-0.5	0.0	0.7	1.4	1.8	1.7	1.1	0.3	-0.3	-0.6
	-0.7	-0.6	-0.4	0.1	0.8	1.7	2.3	2.4	1.9	1.0	0.1	-0.5
12 Su	-0.8	-0.8	-0.7	-0.4	0.2	1.1	1.8	2.2	1.9	1.1	0.1	-0.6
	-0.9	-0.9	-0.8	-0.4	0.3	1.2	2.1	2.6	2.5	1.7	0.7	-0.3
13 M	-0.9	-1.1	-1.0	-0.7	-0.2	0.6	1.6	2.3	2.4	1.9	0.9	-0.2
	-0.9	-1.2	-1.1	-0.8	-0.2	0.6	1.6	2.4	2.8	2.4	1.5	0.3
14 Tu	-0.7	-1.3	-1.3	-1.1	-0.6	0.2	1.1	2.1	2.7	2.6	1.8	0.6
	-0.5	-1.3	-1.4	-1.2	-0.7	0.0	0.9	1.9	2.7	2.8	2.2	1.0
15 W	-0.2	-1.2	-1.6	-1.4	-1.0	-0.3	0.6	1.6	2.5	2.9	2.6	1.5
	0.2	-0.9	-1.5	-1.5	-1.2	-0.5	0.3	1.3	2.2	2.7	2.6	1.8
16 Th	0.5	-0.7	-1.5	-1.7	-1.3	-0.7	0.1	1.1	2.1	2.8	3.0	2.4
	1.2	-0.1	-1.2	-1.6	-1.5	-1.0	-0.3	0.6	1.5	2.3	2.7	2.3
17 F	1.3	0.0	-1.1	-1.7	-1.6	-1.1	-0.4	0.5	1.5	2.4	3.0	2.9
	2.1	0.9	-0.4	-1.3	-1.6	-1.3	-0.7	0.0	0.8	1.6	2.3	2.4
18 Sa	1.9	0.9	-0.4	-1.3	-1.7	-1.4	-0.8	0.0	0.8	1.7	2.5	2.9
	2.7	1.9	0.6	-0.5	-1.3	-1.4	-1.0	-0.5	0.2	0.9	1.6	2.1
19 Su	2.1	1.6	0.5	-0.6	-1.4	-1.5	-1.2	-0.5	0.2	1.0	1.8	2.5
	2.8	2.5	1.7	0.5	-0.5	-1.1	-1.1	-0.8	-0.3	0.2	0.8	1.4
20 M	1.8	1.8	1.3	0.3	-0.6	-1.2	-1.3	-0.9	-0.3	0.3	1.0	1.7
	2.4	2.7	2.4	1.6	0.5	-0.4	-0.9	-0.9	-0.6	-0.3	0.2	0.7
21 Tu	1.2	1.7	1.7	1.2	0.3	-0.5	-1.0	-1.0	-0.7	-0.3	0.3	0.9
	1.6	2.2	2.6	2.3	1.6	0.6	-0.2	-0.6	-0.7	-0.6	-0.4	0.0
22 W	0.4	1.1	1.6	1.7	1.2	0.5	-0.3	-0.8	-0.9	-0.7	-0.4	0.0
	0.6	1.4	2.1	2.5	2.4	1.7	0.8	0.0	-0.5	-0.7	-0.7	-0.6
23 Th	-0.3	0.3	1.0	1.6	1.8	1.5	0.7	-0.1	-0.6	-0.8	-0.8	-0.6
	-0.3	0.4	1.3	2.1	2.6	2.5	1.9	0.9	0.1	-0.5	-0.8	-0.9
24 F	-0.9	-0.5	0.2	1.2	1.9	2.1	1.7	0.9	0.1	-0.6	-0.9	-1.0
	-0.9	-0.5	0.2	1.3	2.3	2.8	2.7	2.0	0.9	0.0	-0.7	-1.1
25 Sa	-1.2	-1.1	-0.5	0.4	1.5	2.3	2.5	2.0	1.1	0.1	-0.7	-1.2
	-1.3	-1.2	-0.7	0.2	1.4	2.5	3.0	2.8	1.9	0.8	-0.2	-1.0
26 Su	-1.4	-1.5	-1.2	-0.4	0.7	1.9	2.7	2.8	2.2	1.1	-0.1	-0.9
	-1.4	-1.6	-1.4	-0.7	0.3	1.6	2.7	3.2	2.8	1.8	0.5	-0.6
27 M	-1.3	-1.6	-1.1	-0.2	1.1	2.4	3.1	3.0	2.2	0.9	-0.3	-0.3
	-1.2	-1.7	-1.7	-1.4	-0.6	0.6	1.9	2.9	3.2	2.6	1.4	0.1
28 Tu	-1.0	-1.6	-1.8	-1.5	-0.9	0.2	1.6	2.8	3.3	3.0	2.0	0.6
	-0.6	-1.4	-1.8	-1.7	-1.2	-0.3	1.0	2.2	3.0	3.0	2.2	0.9
29 W	-0.4	-1.3	-1.7	-1.7	-1.3	-0.5	0.7	2.0	3.1	3.4	2.8	1.6
	0.2	-0.9	-1.5	-1.7	-1.5	-0.9	0.1	1.3	2.4	2.9	2.7	1.7
30 Th	0.4	-0.8	-1.5	-1.7	-1.5	-0.9	0.0	1.2	2.4	3.2	3.2	2.4
	1.2	-0.1	-1.1	-1.5	-1.5	-1.1	-0.5	0.4	1.5	2.4	2.7	2.2

New Bedford, Mass.

Datum = NGVD

Predicted Hourly Heights

October, 2004

NOAA, National Ocean Service

EST/EDT Daylight Savings in effect from April 4 to October 31

Day	Hours 0/12	Hours 1/13	Hours 2/14	Hours 3/15	Hours 4/16	Hours 5/17	Hours 6/18	Hours 7/19	Hours 8/20	Hours 9/21	Hours 10/22	Hours 11/23
1 F	1.1	-0.1	-1.1	-1.5	-1.5	-1.1	-0.4	0.5	1.5	2.5	3.0	2.9
	2.0	0.7	-0.4	-1.1	-1.3	-1.1	-0.7	-0.1	0.7	1.6	2.2	2.3
2 Sa	1.7	0.6	-0.5	-1.2	-1.3	-1.1	-0.6	0.0	0.8	1.7	2.5	2.8
	2.4	1.5	0.4	-0.5	-1.0	-1.0	-0.7	-0.3	0.2	0.9	1.5	2.0
3 Su	1.8	1.2	0.2	-0.7	-1.1	-1.0	-0.7	-0.2	0.4	1.0	1.7	2.3
	2.4	2.0	1.1	0.1	-0.5	-0.7	-0.6	-0.3	0.0	0.4	0.9	1.4
4 M	1.6	1.4	0.8	-0.1	-0.7	-0.9	-0.7	-0.3	0.1	0.6	1.1	1.6
	2.0	2.1	1.6	0.8	0.0	-0.4	-0.4	-0.3	0.0	0.2	0.4	0.8
5 Tu	1.2	1.4	1.1	0.5	-0.1	-0.6	-0.6	-0.3	0.0	0.3	0.6	1.0
	1.5	1.8	1.8	1.4	0.7	0.1	-0.2	-0.2	-0.1	0.1	0.2	0.3
6 W	0.6	1.0	1.2	1.0	0.5	-0.1	-0.4	-0.3	-0.1	0.2	0.3	0.5
	0.9	1.3	1.7	1.7	1.3	0.7	0.1	-0.1	0.0	0.0	0.0	0.1
7 Th	0.2	0.6	1.0	1.2	1.0	0.5	0.1	-0.2	-0.2	0.0	0.1	0.2
	0.4	0.8	1.3	1.7	1.7	1.3	0.7	0.2	-0.1	-0.1	-0.1	-0.1
8 F	-0.1	0.2	0.6	1.1	1.3	1.2	0.7	0.1	-0.2	-0.2	-0.1	0.0
	0.1	0.3	0.8	1.4	1.8	1.8	1.3	0.7	0.1	-0.2	-0.3	-0.3
9 Sa	-0.3	-0.2	0.2	0.8	1.4	1.6	1.4	0.8	0.2	-0.3	-0.4	-0.4
	-0.3	-0.1	0.3	0.9	1.6	2.1	2.0	1.4	0.6	-0.1	-0.5	-0.6
10 Su	-0.6	-0.5	-0.1	0.5	1.2	1.8	2.0	1.6	0.8	0.0	-0.5	-0.7
	-0.7	-0.5	-0.2	0.4	1.2	2.0	2.3	2.1	1.3	0.3	-0.4	-0.8
11 M	-0.9	-0.8	-0.5	0.0	0.9	1.7	2.3	2.3	1.6	0.7	-0.3	-0.8
	-1.0	-1.0	-0.7	-0.1	0.7	1.6	2.3	2.5	2.0	1.1	0.0	-0.9
12 Tu	-1.2	-1.2	-0.9	-0.4	0.4	1.4	2.3	2.7	2.5	1.6	0.4	-0.6
	-1.2	-1.4	-1.1	-0.7	0.1	1.0	2.0	2.6	2.6	1.9	0.7	-0.5
13 W	-1.3	-1.6	-1.4	-0.9	-0.1	0.9	1.9	2.8	3.1	2.5	1.4	0.1
	-1.0	-1.6	-1.6	-1.2	-0.6	0.3	1.3	2.3	2.8	2.5	1.6	0.2
14 Th	-1.0	-1.7	-1.7	-1.4	-0.7	0.3	1.4	2.4	3.2	3.2	2.4	1.1
	-0.3	-1.3	-1.8	-1.6	-1.1	-0.4	0.6	1.6	2.5	2.8	2.3	1.2
15 F	-0.2	-1.3	-1.9	-1.8	-1.2	-0.4	0.7	1.8	2.8	3.4	3.2	2.2
	0.8	-0.6	-1.5	-1.8	-1.5	-0.9	-0.1	0.8	1.8	2.5	2.6	2.0
16 Sa	0.7	-0.6	-1.6	-1.9	-1.6	-0.9	0.0	1.0	2.1	3.0	3.4	3.0
	1.9	0.5	-0.8	-1.6	-1.7	-1.3	-0.7	0.1	1.0	1.8	2.4	2.3
17 Su	1.6	0.4	-0.8	-1.6	-1.8	-1.4	-0.6	0.2	1.2	2.2	3.0	3.2
	2.7	1.6	0.3	-0.9	-1.4	-1.5	-1.1	-0.5	0.2	1.0	1.7	2.2
18 M	2.1	1.3	0.2	-0.9	-1.5	-1.5	-1.1	-0.4	0.4	1.2	2.1	2.8
	3.0	2.5	1.4	0.2	-0.7	-1.2	-1.2	-0.9	-0.4	0.2	0.9	1.6
19 Tu	2.0	1.8	1.1	0.1	-0.8	-1.3	-1.2	-0.8	-0.3	0.4	1.1	1.9
	2.6	2.8	2.3	1.4	0.3	-0.6	-0.9	-0.9	-0.7	-0.4	0.1	0.7
20 W	1.4	1.8	1.7	1.1	0.2	-0.6	-1.0	-1.0	-0.7	-0.3	0.2	0.9
	1.7	2.4	2.6	2.2	1.4	0.4	-0.3	-0.7	-0.8	-0.7	-0.5	-0.1
21 Th	0.5	1.3	1.8	1.8	1.3	0.4	-0.3	-0.7	-0.8	-0.7	-0.5	-0.1
	0.6	1.5	2.2	2.5	2.2	1.4	0.5	-0.2	-0.6	-0.8	-0.9	-0.7
22 F	-0.3	0.5	1.3	1.9	2.0	1.5	0.7	-0.1	-0.6	-0.8	-0.8	-0.7
	-0.3	0.4	1.3	2.2	2.5	2.3	1.5	0.6	-0.2	-0.7	-1.0	-1.1
23 Sa	-0.9	-0.3	0.6	1.5	2.2	2.3	1.7	0.9	0.0	-0.6	-0.9	-1.1
	-1.0	-0.5	0.3	1.4	2.3	2.6	2.3	1.5	0.5	-0.3	-0.9	-1.2
24 Su	-1.2	-1.0	-0.3	0.8	1.9	2.6	2.5	1.9	0.9	0.0	-0.7	-1.1
	-1.3	-1.2	-0.6	0.4	1.5	2.4	2.7	2.3	1.3	0.3	-0.6	-1.1
25 M	-1.4	-1.3	-0.9	0.0	1.2	2.3	2.9	2.7	1.9	0.8	-0.2	-0.9
	-1.4	-1.5	-1.2	-0.5	0.6	1.8	2.6	2.7	2.1	1.0	-0.1	-0.9
26 Tu	-1.4	-1.5	-1.3	-0.7	0.4	1.7	2.7	3.1	2.7	1.7	0.5	-0.5
	-1.2	-1.5	-1.5	-1.1	-0.3	0.9	2.1	2.7	2.6	1.8	0.6	-0.5
27 W	-1.2	-1.6	-1.5	-1.1	-0.3	0.9	2.1	3.0	3.2	2.6	1.4	0.2
	-0.8	-1.4	-1.6	-1.4	-0.9	0.1	1.3	2.3	2.7	2.3	1.3	0.1
28 Th	-0.9	-1.4	-1.6	-1.4	-0.8	0.1	1.3	2.5	3.2	3.1	2.3	1.0
	-0.2	-1.1	-1.5	-1.5	-1.1	-0.5	0.5	1.5	2.3	2.5	1.9	0.8
29 F	-0.3	-1.2	-1.5	-1.5	-1.0	-0.4	0.6	1.7	2.7	3.1	2.8	1.8
	0.5	-0.5	-1.2	-1.4	-1.2	-0.8	-0.1	0.8	1.7	2.3	2.2	1.5
30 Sa	0.3	-0.7	-1.3	-1.4	-1.2	-0.6	0.1	1.0	2.0	2.7	2.9	2.4
	1.3	0.1	-0.8	-1.2	-1.1	-0.9	-0.4	0.2	1.0	1.7	2.1	1.8
31 Su	1.0	-0.1	-1.3	-1.2	-0.8	-0.2	0.5	1.3	2.1	2.6	2.6	1.9
	0.9	-0.2	-0.8	-1.0	-0.8	-0.5	-0.1	0.5	1.1	1.6	1.8	1.4

New Bedford, Mass.

Datum = NGVD

Predicted Hourly Heights

November, 2004

NOAA, National Ocean Service

Standard Time

Day	Hours 0/12	Hours 1/13	Hours 2/14	Hours 3/15	Hours 4/16	Hours 5/17	Hours 6/18	Hours 7/19	Hours 8/20	Hours 9/21	Hours 10/22	Hours 11/23
1 M	0.6	-0.3	-1.0	-1.1	-0.8	-0.4	0.2	0.7	1.4	2.0	2.4	2.2
	1.5	0.5	-0.3	-0.8	-0.8	-0.5	-0.2	0.1	0.6	1.1	1.5	1.5
2 Tu	1.1	0.3	-0.5	-0.9	-0.8	-0.5	0.0	0.4	0.9	1.4	1.8	2.1
	1.8	1.1	0.3	-0.4	-0.6	-0.5	-0.2	0.0	0.2	0.6	1.0	1.3
3 W	1.3	0.8	0.2	-0.4	-0.7	-0.5	-0.2	0.2	0.5	0.8	1.3	1.7
	1.8	1.5	0.9	0.2	-0.3	-0.5	-0.3	-0.1	0.1	0.2	0.5	0.9
4 Th	1.2	1.2	0.7	0.1	-0.3	-0.5	-0.3	0.0	0.3	0.5	0.8	1.1
	1.5	1.7	1.4	0.8	0.1	-0.3	-0.4	-0.2	-0.1	0.0	0.2	0.5
5 F	0.9	1.2	1.2	0.8	0.2	-0.2	-0.4	-0.2	0.0	0.2	0.4	0.7
	1.1	1.5	1.6	1.4	0.8	0.1	-0.3	-0.4	-0.3	-0.2	-0.1	0.1
6 Sa	0.5	1.0	1.4	1.3	0.9	0.3	-0.2	-0.3	-0.3	-0.1	0.1	0.2
	0.6	1.1	1.6	1.7	1.4	0.7	0.0	-0.4	-0.5	-0.4	-0.3	-0.2
7 Su	0.2	0.7	1.3	1.7	1.6	1.1	0.3	-0.2	-0.5	-0.5	-0.3	-0.2
	0.1	0.6	1.3	1.8	1.9	1.4	0.6	-0.1	-0.6	-0.8	-0.7	-0.5
8 M	-0.2	0.3	1.0	1.7	2.1	1.9	1.2	0.3	-0.4	-0.8	-0.8	-0.6
	-0.3	0.1	0.8	1.6	2.1	2.0	1.4	0.5	-0.4	-1.0	-1.1	-0.9
9 Tu	-0.6	-0.1	0.6	1.5	2.2	2.5	2.1	1.2	0.1	-0.7	-1.1	-1.1
	-0.9	-0.4	0.2	1.1	1.9	2.3	2.1	1.3	0.2	-0.8	-1.3	-1.4
10 W	-1.1	-0.6	0.1	1.1	2.0	2.8	2.8	2.2	1.0	-0.2	-1.1	-1.4
	-1.4	-1.0	-0.4	0.4	1.4	2.2	2.5	2.1	1.1	-0.2	-1.2	-1.7
11 Th	-1.7	-1.2	-0.5	0.4	1.5	2.6	3.2	3.1	2.2	0.8	-0.5	-1.4
	-1.7	-1.6	-1.1	-0.3	0.6	1.7	2.4	2.6	2.0	0.8	-0.6	-1.6
12 F	-2.0	-1.8	-1.2	-0.3	0.8	2.0	3.0	3.5	3.1	2.0	0.6	-0.8
	-1.7	-1.9	-1.6	-1.0	-0.2	0.9	1.9	2.6	2.6	1.8	0.5	-0.9
13 Sa	-1.8	-2.1	-1.8	-1.0	-0.1	1.1	2.3	3.2	3.6	3.1	1.8	0.3
	-1.0	-1.8	-1.9	-1.6	-0.9	0.0	1.0	2.0	2.6	2.4	1.5	0.2
14 Su	-1.1	-1.9	-2.0	-1.6	-0.8	0.2	1.3	2.5	3.3	3.5	2.9	1.6
	0.1	-1.1	-1.8	-1.8	-1.4	-0.8	0.1	1.1	2.0	2.5	2.2	1.3
15 M	0.0	-1.2	-1.8	-1.9	-1.4	-0.6	0.3	1.4	2.5	3.2	3.3	2.6
	1.3	-0.1	-1.1	-1.6	-1.6	-1.2	-0.6	0.2	1.1	1.9	2.3	2.0
16 Tu	1.1	-0.1	-1.1	-1.6	-1.6	-1.2	-0.5	0.4	1.4	2.3	3.0	3.1
	2.4	1.2	-0.1	-1.0	-1.4	-1.4	-1.1	-0.6	0.1	1.0	1.8	2.2
17 W	1.9	1.0	-0.1	-0.9	-1.4	-1.3	-1.0	-0.4	0.3	1.2	2.1	2.7
	2.8	2.1	1.0	-0.1	-0.8	-1.2	-1.2	-1.0	-0.6	0.1	0.9	1.7
18 Th	2.1	1.8	1.0	0.1	-0.7	-1.1	-1.1	-0.9	-0.5	0.1	0.9	1.8
	2.5	2.6	2.0	1.0	0.0	-0.7	-1.0	-1.1	-1.0	-0.7	0.0	0.8
19 F	1.7	2.1	1.9	1.2	0.3	-0.4	-0.8	-0.9	-0.9	-0.6	-0.1	0.7
	1.6	2.3	2.4	1.9	1.0	0.1	-0.6	-0.9	-1.1	-1.0	-0.7	-0.1
20 Sa	0.9	1.7	2.2	2.0	1.3	0.5	-0.2	-0.7	-0.9	-1.0	-0.8	-0.3
	0.6	1.5	2.2	2.3	1.8	0.9	0.1	-0.6	-0.9	-1.1	-1.1	-0.8
21 Su	0.0	1.0	1.9	2.4	2.2	1.4	0.6	-0.2	-0.7	-1.0	-1.1	-1.0
	-0.4	0.5	1.5	2.2	2.2	1.7	0.8	0.0	-0.7	-1.0	-1.2	-1.1
22 M	-0.7	0.2	1.3	2.2	2.6	2.3	1.5	0.5	-0.2	-0.8	-1.1	-1.2
	-1.0	-0.4	0.6	1.6	2.2	2.2	1.5	0.6	-0.3	-0.9	-1.2	-1.3
23 Tu	-1.1	-0.5	0.5	1.6	2.5	2.7	2.3	1.4	0.4	-0.4	-0.9	-1.2
	-1.3	-1.0	-0.2	0.8	1.8	2.2	2.0	1.3	0.3	-0.5	-1.1	-1.3
24 W	-1.3	-1.0	-0.2	0.8	2.0	2.7	2.8	2.2	1.2	0.1	-0.6	-1.1
	-1.3	-1.3	-0.8	0.0	1.1	1.9	2.2	1.8	0.9	-0.1	-0.9	-1.3
25 Th	-1.4	-1.2	-0.7	0.1	1.3	2.3	2.9	2.8	1.9	0.8	-0.2	-0.9
	-1.2	-1.3	-1.1	-0.5	0.4	1.4	2.1	2.1	1.5	0.5	-0.5	-1.1
26 F	-1.4	-1.3	-1.0	-0.4	0.6	1.7	2.6	2.9	2.6	1.6	0.4	-0.5
	-1.1	-1.3	-1.2	-0.9	-0.2	0.7	1.6	2.1	1.9	1.2	0.1	-0.8
27 Sa	-1.3	-1.4	-1.2	-0.7	0.0	0.9	2.0	2.7	2.8	2.2	1.2	0.0
	-0.8	-1.2	-1.2	-1.0	-0.6	0.1	1.0	1.7	2.0	1.7	0.8	-0.2
28 Su	-1.0	-1.4	-1.3	-0.9	-0.4	0.4	1.3	2.2	2.7	2.6	1.8	0.7
	-0.3	-0.9	-1.1	-1.0	-0.7	-0.3	0.4	1.1	1.7	1.8	1.3	0.4
29 M	-0.5	-1.2	-1.3	-1.0	-0.6	0.0	0.7	1.5	2.2	2.5	2.2	1.4
	0.3	-0.6	-1.0	-1.0	-0.8	-0.5	0.0	0.6	1.2	1.6	1.6	1.0
30 Tu	0.1	-0.7	-1.1	-1.1	-0.7	-0.3	0.3	0.9	1.6	2.1	2.3	1.9
	1.0	0.0	-0.7	-1.0	-0.8	-0.6	-0.2	0.2	0.7	1.2	1.5	1.4

New Bedford, Mass.

Datum = NGVD

Predicted Hourly Heights

December, 2004

NOAA, National Ocean Service

Standard Time

Day	Hours 0/12	Hours 1/13	Hours 2/14	Hours 3/15	Hours 4/16	Hours 5/17	Hours 6/18	Hours 7/19	Hours 8/20	Hours 9/21	Hours 10/22	Hours 11/23
1 W	0.7	-0.1	-0.8	-1.0	-0.8	-0.4	0.0	0.5	1.0	1.6	2.0	2.0
	1.5	0.6	-0.2	-0.7	-0.8	-0.6	-0.3	0.0	0.3	0.7	1.2	1.4
2 Th	1.2	0.5	-0.2	-0.8	-0.9	-0.6	-0.2	0.2	0.6	1.0	1.5	1.8
	1.7	1.2	0.4	-0.4	-0.7	-0.7	-0.5	-0.2	0.1	0.4	0.8	1.2
3 F	1.3	1.0	0.4	-0.3	-0.7	-0.7	-0.4	0.0	0.3	0.6	1.0	1.4
	1.7	1.5	1.0	0.2	-0.5	-0.7	-0.6	-0.4	-0.1	0.1	0.4	0.8
4 Sa	1.2	1.3	1.0	0.4	-0.3	-0.6	-0.6	-0.3	0.0	0.3	0.6	0.9
	1.4	1.6	1.4	0.8	0.1	-0.5	-0.8	-0.6	-0.4	-0.1	0.1	0.5
5 Su	1.0	1.4	1.5	1.1	0.4	-0.2	-0.6	-0.6	-0.4	-0.1	0.2	0.5
	0.9	1.4	1.6	1.4	0.7	-0.1	-0.7	-0.9	-0.7	-0.5	-0.2	0.2
6 M	0.7	1.2	1.7	1.7	1.3	0.5	-0.3	-0.7	-0.7	-0.5	-0.2	0.0
	0.4	1.0	1.5	1.7	1.4	0.6	-0.2	-0.8	-1.1	-0.9	-0.6	-0.2
7 Tu	0.3	0.9	1.6	2.0	2.0	1.4	0.5	-0.3	-0.8	-0.9	-0.7	-0.5
	-0.1	0.5	1.1	1.7	1.8	1.4	0.5	-0.4	-1.1	-1.3	-1.1	-0.8
8 W	-0.3	0.4	1.2	2.0	2.4	2.3	1.6	0.5	-0.5	-1.1	-1.2	-1.0
	-0.7	-0.2	0.5	1.3	1.9	2.0	1.4	0.4	-0.6	-1.4	-1.6	-1.4
9 Th	-0.9	-0.2	0.6	1.6	2.4	2.9	2.6	1.6	0.4	-0.7	-1.3	-1.5
	-1.3	-0.8	-0.2	0.7	1.5	2.1	2.1	1.4	0.3	-0.9	-1.7	-1.8
10 F	-1.6	-1.0	-0.2	0.9	2.0	2.9	3.2	2.7	1.6	0.2	-0.9	-1.6
	-1.7	-1.5	-0.9	-0.1	0.8	1.8	2.3	2.2	1.3	0.1	-1.2	-1.9
11 Sa	-2.0	-1.7	-1.0	0.0	1.1	2.3	3.2	3.4	2.8	1.5	0.0	-1.2
	-1.8	-1.9	-1.6	-1.0	-0.1	1.0	2.0	2.5	2.2	1.2	-0.1	-1.4
12 Su	-2.1	-2.2	-1.7	-1.0	0.1	1.3	2.6	3.4	3.5	2.7	1.3	-0.2
	-1.4	-2.0	-2.0	-1.6	-0.9	0.1	1.2	2.1	2.6	2.2	1.1	-0.3
13 M	-1.5	-2.1	-2.1	-1.7	-0.9	0.2	1.5	2.7	3.5	3.5	2.6	1.1
	-0.4	-1.5	-2.0	-2.0	-1.6	-0.8	0.2	1.3	2.2	2.6	2.1	1.0
14 Tu	-0.4	-1.5	-2.1	-2.0	-1.6	-0.8	0.3	1.5	2.7	3.4	3.3	2.3
	0.9	-0.5	-1.5	-1.9	-1.9	-1.4	-0.7	0.3	1.4	2.2	2.5	2.0
15 W	0.9	-0.4	-1.4	-1.9	-1.8	-1.4	-0.7	0.3	1.5	2.6	3.2	3.0
	2.0	0.7	-0.6	-1.4	-1.7	-1.7	-1.3	-0.6	0.3	1.4	2.2	2.4
16 Th	1.9	0.8	-0.4	-1.2	-1.6	-1.6	-1.2	-0.6	0.3	1.3	2.3	2.9
	2.7	1.8	0.5	-0.6	-1.3	-1.6	-1.5	-1.2	-0.6	0.3	1.4	2.1
17 F	2.3	1.8	0.8	-0.3	-1.0	-1.4	-1.4	-1.1	-0.6	0.2	1.2	2.1
	2.5	2.3	1.5	0.4	-0.5	-1.1	-1.4	-1.3	-1.1	-0.5	0.4	1.3
18 Sa	2.1	2.2	1.7	0.8	-0.1	-0.8	-1.1	-1.2	-1.0	-0.7	0.0	1.0
	1.8	2.3	2.0	1.3	0.3	-0.5	-1.0	-1.2	-1.2	-1.0	-0.5	0.4
19 Su	1.4	2.1	2.2	1.7	0.9	0.0	-0.6	-0.9	-1.1	-1.0	-0.7	-0.1
	0.8	1.6	2.0	1.8	1.1	0.2	-0.5	-0.9	-1.1	-1.1	-0.9	-0.4
20 M	0.5	1.4	2.1	2.2	1.7	0.9	0.1	-0.5	-0.8	-1.0	-1.0	-0.8
	-0.1	0.8	1.5	1.9	1.6	0.9	0.1	-0.6	-0.9	-1.1	-1.1	-0.9
21 Tu	-0.3	0.6	1.6	2.2	2.2	1.7	0.9	0.1	-0.5	-0.8	-1.0	-1.0
	-0.8	-0.1	0.8	1.5	1.8	1.4	0.7	-0.1	-0.7	-1.0	-1.1	-1.1
22 W	-0.8	-0.1	0.8	1.8	2.3	2.3	1.6	0.8	0.0	-0.5	-0.9	-1.1
	-1.0	-0.7	0.0	0.9	1.6	1.7	1.3	0.5	-0.3	-0.8	-1.1	-1.1
23 Th	-1.0	-0.6	0.1	1.1	2.0	2.4	2.2	1.5	0.6	-0.2	-0.7	-1.0
	-1.1	-1.0	-0.5	0.2	1.1	1.7	1.6	1.1	0.2	-0.5	-1.0	-1.2
24 F	-1.2	-0.9	-0.4	0.4	1.4	2.2	2.5	2.1	1.3	0.3	-0.4	-0.9
	-1.1	-1.1	-0.9	-0.3	0.5	1.3	1.7	1.6	0.9	0.0	-0.8	-1.2
25 Sa	-1.2	-1.1	-0.8	-0.2	0.7	1.7	2.4	2.5	1.9	1.0	0.0	-0.7
	-1.0	-1.1	-1.1	-0.7	-0.1	0.8	1.5	1.8	1.4	0.6	-0.3	-1.0
26 Su	-1.3	-1.3	-1.0	-0.6	0.1	1.1	2.0	2.5	2.4	1.7	0.6	-0.3
	-0.9	-1.1	-1.1	-0.9	-0.5	0.2	1.0	1.7	1.7	1.2	0.3	-0.6
27 M	-1.2	-1.3	-1.2	-0.8	-0.3	0.5	1.4	2.2	2.5	2.2	1.3	0.2
	-0.6	-1.1	-1.2	-1.0	-0.7	-0.2	0.5	1.2	1.7	1.6	1.0	0.0
28 Tu	-0.8	-1.3	-1.3	-1.0	-0.6	0.0	0.8	1.6	2.3	2.4	1.9	0.9
	-0.1	-0.9	-1.2	-1.1	-0.9	-0.5	0.0	0.7	1.4	1.7	1.5	0.7
29 W	-0.3	-1.0	-1.3	-1.2	-0.8	-0.3	0.3	1.0	1.7	2.2	2.2	1.5
	0.5	-0.5	-1.1	-1.2	-1.0	-0.7	-0.2	0.3	0.9	1.5	1.6	1.2
30 Th	0.4	-0.5	-1.1	-1.3	-1.0	-0.5	0.0	0.5	1.2	1.8	2.1	1.9
	1.1	0.1	-0.7	-1.1	-1.1	-0.8	-0.4	0.0	0.5	1.1	1.5	1.5
31 F	1.0	0.1	-0.7	-1.1	-1.1	-0.8	-0.3	0.2	0.7	1.2	1.7	1.9
	1.5	0.7	-0.2	-0.9	-1.2	-1.0	-0.6	-0.2	0.2	0.7	1.2	1.5